

2020-2

Home
UPGRADE

EN-INT

TECHNICAL DATA



TABBERT 

B e w e g e n d e M o m e n t e



Technical Data	ROSSINI 450 E 2,3	ROSSINI 450 TD 2,3	ROSSINI 490 TD 2,3	ROSSINI 490 DM 2,3
Axles	1	1	1	1
Overall length in cm	669	669	731	731
Usable length in cm	470	470	532	532
Overall width / interior width in cm	232 / 216	232 / 216	232 / 216	232 / 216
Overall height / interior height in cm	262 / 196	262 / 196	262 / 196	262 / 196
Mass of unladen vehicle, approx. in kg *	1.160	1.160	1.260	1.260
Mass in ready to travel condition, approx. in kg *	1.230	1.230	1.330	1.330
Tecnically maximum authorized laden mass (kg)**	1.400	1.400	1.500	1.500
Maximum payload, approx. in kg *	170	170	170	170
Tyre size	205/65 R 15	205/65 R 15	205/65 R 15	205/65 R 15
Awning, A/A size in cm	928	928	990	990
Bed size, front, in cm	2 x 199 x 87	199 x 139	199 x 139	199 x 139
Bed size, middle, in cm	-	-	-	194 x 97
Bed size, rear, in cm	100 x 93/80	180 x 157/117	198 x 145	1 x 210 x 72 / 1 x 198 x 72
				Opt. bunk beds 2 x 210 x 70 + 1 x 205 x 65
Number of berths	up to 3	up to 4	up to 4	up to 5
Number of roof hoods	2x Mini Heki Plus	2x Mini Heki Plus	1 + Midi Heki	2x Mini Heki Plus
Dometic type refrigerator / volume in liters	RMS 8550 / 106	RML 9430 / 148	RML 9430 / 148	RML 9430 / 148
Truma type heating / Number of fans	S 3004 / 1	S 3004 / 1	S 3004 / 1	S 3004 / 1
Entrance door (cm): W x H door	60/181	60/181	60/181	60/181

Standard Equipment

General

- + 10 year impermeability guarantee (annual inspection by authorised dealer mandatory)

1. Chassis

- + Wide-track safety chassis with axle shock absorber
- + AL-KO smooth running chassis, fully galvanised
- + Steel rims 15"
- + AL-KO premium supports
- + Stabilizer safety coupling (AKS) 3004 with softdock
- + AL-KO Trailer Control – ATC
- + AL-KO Premium Break (automatic break lining adjustment)
- + Support wheel with towbar scale

2. BODY

- + GFC roof with reduced hail sensitivity
- + Wall thickness 32 mm, roof thickness 33 mm, floor thickness 48 mm
- + Hammer tone finish sheet metal in white
- + Integrated gas bottle locker with aluminium floor, with parallel opening gas locker cover, with gas pressure damper and large opening
- + Entry step with integrated TABBERT emblem, insulated
- + Hinged window, tinted, heat insulating, with safety lock
- + Combined roller blinds and mosquito netting
- + Lift-tilt roof hood, clear glass / forced ventilation (400x400) - Seating group and sleeping area

- + Two-piece entrance door with window, roller blind, waste bin, tray and triple lock
- + One-key locking system
- + Comfortable maneuvering handles at the front
- + Ergonomic shunting bar at the back
- + Service hatch in side wall (depending on layout)
- + TABBERT taillight with conventional lighting technology
- + Extra bright LED awning light, 12 V, above entrance door

3. LIVING

- + Furniture decor „Olmont Pavarotti"
- + High-quality metal handles in stainless steel look
- + Upholstery versions, options: Brown Stone, Pearl Leaf, Amber Leaf, Soft Carbon (extra charge: Active Line)
- + easy conversion of round seating group to bed (no compensating pad required)
- + Ventilated seat storage boxes and rear ventilation of ceiling cupboards
- + Storage compartments and surrounding storage space in seating group area
- + Textile room divider
- + Stylish panel curtains
- + High-quality corner shelves
- + Single-post lift table for circular seating group
- + High-quality PVC flooring
- + Fixed beds with 5-zone comfort foam mattress
- + Slatted frame, tilting, with gas-charged shock absorber



Technical Data	ROSSINI 520 DM 2,3	ROSSINI 540 E 2,3	ROSSINI 620 DM 2,5	
Axles	1	1	2	
Overall length in cm	731	785	831	
Usable length in cm	532	568	630	
Overall width / interior width in cm	232 / 216	232 / 216	250 / 234	
Overall height / interior height in cm	262 / 196	262 / 196	262 / 196	
Mass of unladen vehicle, approx. in kg *	1.230	1.380	1.600	
Mass in ready to travel condition, approx. in kg *	1.300	1.450	1.670	
Tecnically maximum authorized laden mass (kg)**	1.500	1.700	2.000	
Maximum payload, approx. in kg *	200	250	330	
Tyre size	205/65 R 15	205/70 R 15C	185/65 R15	
Awning, A/A size in cm	991	1.026	1.090	
Bed size, front, in cm	199 x 139	199 x 87 / 187 x 87	199 x 139	
Bed size, middle, in cm	194 x 97	-	240 x 114	
Bed size, rear, in cm	1 x 210 x 80 / 1 x 198 x 80	202x170/120	1 x 192 x 68 / 1 x 185 x 68	
	Opt. bunk beds 2 x 210 x 78 + 1 x 205 x 73		Opt. bunk beds 1x 192 x 68 / 2x 185 x 68	
Number of berths	up to 6	up to 4	up to 7	
Number of roof hoods	2x Mini Heki Plus	2x Mini Heki Plus	3x Mini Heki Plus	
Dometic type refrigerator / volume in liters	RMS 8550 / 106	RML 9430 / 148	RML 9430 / 148	
Truma type heating / Number of fans	S 3004 / 1	S 5004 / 1	Combi 6	
Entrance door (cm): W x H door	60/181	60/181	60/181	

- + Storage shelf in bed area (depending on layout)
- + Storage hatch in the bench side wall in the entrance area
- + 2-door cabinet in front/rear toilet cubicle
- + Safetylock closure for ceiling-mounted kitchen cupboard
- + Smoke alarm

4. KITCHEN AND SANITARY AREA

- + Dometic refrigerator (gas or 12 V ¹) or 230 V), with integrated light and freezer compartment (gas operation en route permitted only in combination with Mono or Dual Control)
- + 3-burner hob with electric ignition, cast grid and glass cover
- + Stainless sink
- + Automatic mixer taps in kitchen and washroom
- + Pantry pull-out with large drawers and soft-close slides (depending on layout)
- + Top cupboard with mirror and storage space in the washroom (depending on layout plan)
- + 12V lighting
- + Thetford bank toilet
- + Toilet shaft seal

5. POWER SUPPLY

- + 13-pole connector system "Jäger" (ISO 11446)
- + Halogen and LED recessed spots (power saving, long life)
- + Flicker-free 10 W reading spots (long life, no brightness fluctuations), position adjustable
- + Optimized voltage supply (constant brightness in changeable lighting conditions, no flickering, no voltage fluctuations, silent operation)

- + TV-ready (areal connection, satellite cable in place)
- + Converter/switching power supply, 350 Watt
- + Wardrobe lighting
- + velocate® GPS Tracker (hardware without personal tracking function; theft tracking for additional charge)

6. GAS / WATER / HEATING

- + Convection gas heater
- + Hot water supply (in kitchen and toilet with Truma Thermo)
- + Fresh water tank, 45 liters, permanently installed, internal and external filling option, cleaning opening
- + Water lines routed alongside air recirculation hose
- + Water filter system „BWT - Best-Camp mini“

Item No.		450 E 2,3	450 TD 2,3	490 TD 2,3	490 DM 2,3	520 DM 2,3	540 E 2,3	620 DM 2,5	Weight	
Chassis										
150840	ALKO Big Foot for premium supports	•	•	•	•	•	•	•	2,5	
101353	Drawbar cover	•	•	•	•	•	•	•	4	
151678	Hydraulic supports – only in combination with 12V power supply package!	•	•	•	•	•	•	•	22	
151372	Spare wheel, 15" steel rim with standard tyre – not available for mono-axle with 2,000 kg	•	•	•	•	•	•	•	21	
151728	Spare wheel, 15" alloy rim - for mono-axle with 2,000 kg - option 152614	–	–	–	–	–	•	•	21	
152725	17" alloy wheels for single-axle models, polished in crystal silver in exclusive TABBERT Design	•	•	•	•	•	•	–	13	
152724	17" alloy wheels for single-axle models, gloss-polished in white in exclusive TABBERT Design	•	•	•	•	•	•	–	13	
152726	17" alloy wheels for tandem-axle models, front polished in crystal silver in exclusive TABBERT Design	–	–	–	–	–	–	•	26	
152727	17" alloy wheels for tandem-axle models, gloss-polished in white in exclusive TABBERT Design	–	–	–	–	–	–	•	26	
152565	Spare wheel, 17" alloy wheels in TABBERT Design	•	•	•	•	•	•	•	23	
152069	Truma Mover XT / mono-axle up to 2,000 kg GVW – only in combination with 12 Volt package!	•	•	•	•	•	•	–	28	
152071	Truma Mover XT 2 / tandem-axle up to 2,400 kg GVW - only in combination with 12 Volt package!	–	–	–	–	–	–	•	28	
152072	Mover tandem-axle up to 2,401 kg GVW - only in combination with 12V power supply package!	–	–	–	–	–	–	•	28	
102232	Bicycle rack for 2 bikes - towbar mounting	•	•	•	•	•	•	•	9,7	
Roof, windows, gas bottle locker, doors, ventilation										
101342	Quarter window front	•	–	–	X	–	•	X	7	
100577	Roof railing	•	•	•	•	•	•	•	10	
101958	Storage hatch 60 x 95 cm, left or right (not available in combination with triple bunk bed option)	–	–	–	•	•	–	–	1,5	
102243	Storage hatch 100 x 120 cm, in travel direction on the right (available only with double bunk bed option)	–	–	–	–	–	–	•	4	
100750	Lift-tilt roof hood, clear glass / forced ventilation (700x500) instead of lift-tilt roof hood, clear glass / forced ventilation (400x400)	•	•	•	•	•	•	•	8	
101402	Mosquito netting door 1/1	•	•	•	•	•	•	•	4,3	
100612	Additional service hatch - position and size depending on layout	•	•	•	•	•	•	•	1,5	
102211	TVT (Top Value Technology) – Body up to max. length 550	•	•	•	•	•	•	–	-	
102212	TVT (Top Value Technology) – from body length 550	–	–	–	–	–	–	•	-	
Moldings										
101397	Awning rails above front and/or rear window	•	•	•	•	•	•	•	3	
102135	Awning strip molding with integrated lighting (dimmable)	•	•	•	•	•	•	•	3	
102245	Winter cover incl. awning rail rear	•	•	•	•	•	•	•	7	
102244	Winter cover incl. awning rail front	•	•	•	•	•	•	•	7	
Awnings										
500655	Awning 350 x 250 cm – roof-mounted installation	•	•	–	–	–	–	–	26	
500657	Awning 405 x 250 cm – roof-mounted installation	–	–	•	•	•	–	–	29	
501997	Awning 455 x 250 cm – roof-mounted installation	–	–	–	–	–	•	•	32	
Living										
550590	Triple bunk bed	–	–	–	•	•	–	•	12	
552612	Second bunk bed - Bed underneath convertible to seating group	–	–	–	–	–	–	•	2	
551965	Pull-out bed extension for central seating group	–	–	–	•	•	–	–	-	
551345	Carpeting, body width 2.3 m	•	•	•	•	•	•	–	7,5	
551346	Carpeting, body length up to 590	–	–	–	–	–	–	•	9	
551408	Roll-out bed	•	–	–	–	–	•	–	2	
552030	TABBERT comfort sleeping system with disc spring bed base and WaterGel mattress	•	•	•	•	•	•	•	10	
552420	Sleep - 2 pillows and blankets (bed area)	•	•	•	•	•	•	•	3	
552351	Children's room decoration	–	–	–	•	•	–	•	2	
552613	Upholstery selection "Soft Carbon" (Active Line)	•	•	•	•	•	•	•	-	
Power Supply										
250073	230 V socket for power supply outside, incl. antenna connection	•	•	•	•	•	•	•	0,5	
250072	Additional internal 230 V socket	•	•	•	•	•	•	•	0,3	
250940	12 V socket, additional, inside	•	•	•	•	•	•	•	0,3	

Item No.		450 E 2,3	450 TD 2,3	490 TD 2,3	490 DM 2,3	520 DM 2,3	540 E 2,3	620 DM 2,5	Weight	
551480	Ambiance lighting, indirect LED light strip	•	•	•	•	•	•	•	1	
251337	Antenna cable on the drawbar, 10 m length	•	•	•	•	•	•	•	4	
251998	Antenna package CARO®+	•	•	•	•	•	•	•	14	
252408	21,5" TV unit with HD tuner	•	•	•	•	•	•	•	4	
252204	Entrance step illuminated	•	•	•	•	•	•	•	0,3	
551415	TV holder for flatscreen TV with 230 V	•	•	•	•	•	•	•	3	
250231	Radio DAB+/CD/MP3-Tuner with USB incl. DAB+ antenna - only available in combination with radio preparation	•	•	•	•	•	•	•	3	
252034	Radio preparation with 2 speakers in living area and 2 speakers in sleeping area incl. DAB+ antenna	•	•	•	•	•	•	•	3,5	
252190	Sound system with radio, 2 speakers in living area and 2 speakers in sleeping area, subwoofer, amplifier with audio jack cable from TV to sound system (only in conjunction with 12 V package)	•	•	•	•	•	•	•	5,5	
251969	USB connection socket	•	•	•	•	•	•	•	-	
251491	Awning light with motion sensor	•	•	•	•	•	•	•	-	
252815	velocate® LIFETIME license with unlimited, personal, EU-wide tracking function (only possible with option number: 252698)	•	•	•	•	•	•	•		

Kitchen and sanitary area

400573	12 V fridge fan	•	•	•	•	•	•	•	0,3	
451441	Shower unit with taps, no 230 V socket in washroom	•	•	•	•	•	•	•	3,5	
101341	Quarter window toilet cubicle 500 x 520 (incl. roller blind, only for mid-position toilet cubicle)	•	–	–	•	–	•	–	3	
450563	Fill level display for fresh water tank	•	•	•	•	•	•	•	-	
400060	Microwave (in kitchen block - drawer is omitted)	–	–	•	•	–	•	•	15	

Gas, water, heating

300518	Gas socket, front, right	•	•	•	•	•	•	•	1,5	
301057	Remote display + Ice-Ex	•	•	•	•	•	•	•	0,5	
301956	Truma MonoControl CS incl. gas filter	•	•	•	•	•	•	•	1,3	
301957	Truma DuoControl CS incl. gas filter	•	•	•	•	•	•	•	1,8	
550086	Heating with Ultra-Heat (Truma electric heater)	•	•	•	•	•	•	–	2	
351388	Underfloor heating up to 560	•	•	•	•	•	•	–	10	
351389	Underfloor heating from 560	–	–	–	–	–	–	•	10	
352389	Chimney Extension	•	•	•	•	•	•	•	-	
102036	Winter cover for fridge grid	•	•	•	•	•	•	•	1	
450092	Waste water tank 25 liters, mobile, with odor trap	•	•	•	•	•	•	•	4	
451960	Fresh water tank, 70 liters	•	•	•	–	–	•	–	5,5	
451443	City water connection – via 45 liter tank (filled from outside)	•	•	•	•	•	•	•	6,5	
451444	City water connection – via 70 liter tank (filled from outside)	–	•	•	–	–	•	–	6,5	
451481	Hot water system with boiler via Truma Boiler BN 10 (gas/electric) - no Truma Therme	•	•	•	•	•	•	–	9,5	
451445	Water connection fixed with pressure reducer (without tank 45 liter)	•	•	•	•	•	•	•	1	

Air conditioning

552052	Roof-mounted air conditioning / Dometic Freshjet 2200	•	•	•	•	•	•	•	35	
552275	Roof-mounted air conditioning / Truma Aventa Comfort	–	–	–	–	–	–	•	33	

Weight increase

150111	1.400 up to 1.500 kg (1.500 kg chassis)	•	•	–	–	–	–	–	-	
150112	1.400 up to 1.600/1.700 kg** (1.700 kg chassis)	•	•	–	–	–	–	–	25	
150112	1.500 up to 1.600/1.700 kg** (1.700 kg chassis)	–	–	•	•	•	–	–	25	
150112	1.500 up to 1.800 kg** (1.800 kg chassis)	–	–	•	•	•	–	–	25	
150112	1.700 up to 1.800 kg** (1.800 kg chassis)	–	–	–	–	–	•	–	15	
152614	1.700 up to 1.900/2.000 kg*** (2.000 kg chassis incl. 15" aluminium wheels silver)	–	–	–	–	–	•	–	25	
150112	2.000 up to 2.500 kg** (2.500 kg chassis)	–	–	–	–	–	–	•	40	
**	Available up to 3 months before production									
***	Alloy rims must be fitted for load increases to 1,900/2,000 kg due to their higher payload capacity.									



Technical Data	DA VINCI 380 TD 2,3	DA VINCI 450 TD 2,3	DA VINCI 460 E 2,3	DA VINCI 490 TD 2,3	DA VINCI 495 HE 2,3	DA VINCI 540 DM 2,5
Axles	1	1	1	1	1	1
Overall length in cm	599	669	689	731	731	785
Usable length in cm	400	470	490	532	532	568
Overall width / interior width in cm	232 / 216	232 / 216	232 / 216	232 / 216	232 / 216	250 / 234
Overall height / interior height in cm	265 / 196	265 / 196	265 / 196	265 / 196	265 / 196	265 / 196
Mass of unladen vehicle, approx. in kg *	1.080	1.200	1.240	1.330	1.330	1.450
Mass in ready to travel condition, approx. in kg *	1.150	1.270	1.310	1.400	1.400	1.520
Tecnically maximum authorized laden mass (kg)**	1.400	1.500	1.500	1.600	1.600	1.700
Maximum payload, approx. in kg *	250	230	190	200	200	180
Tyre size	205/65 R 15	205/65 R 15	205/65 R 15	205/70 R15 C	205/70 R15 C	205/70 R15 C
Awning, A/A size in cm	862	932	952	994	994	1.030
Bed size, front, in cm	199 x 139	199 x 139	199 x 86 / 186 x 86	199 x 139	198 x 132/111	199 x 157
Bed size, middle, in cm	-	-	-	-	-	194 x 113
Bed size, rear, in cm	192 x 90	198 x 125/131	198 x 105/117	198 x 145	199 x 86 / 186 x 86	2 x 208 x 68 / Opt. 3 x 208 x 68
Number of berths	3	up to 4	up to 3	up to 4	up to 4	up to 6
Number of roof hoods	1 + Midi Heki	1 + Midi Heki	2 + Midi Heki	1 + Midi Heki	2 + Midi Heki	1 + Midi Heki
Dometic type refrigerator / volume in liters	RMS 8550/106	RMS 8550/106	RMS 8550 / 106	RML 9430 / 148	RML 9430 / 148	RMS 8550 / 106
Truma type heating / Number of fans	S 3004 / 1	S 3004 / 1	S 3004 / 1	S 3004 / 1	S 3004 / 1	S 5004/1
Entrance door (cm): W x H door	60/181	60/181	60/181	60/181	60/181	60/181

Standard Equipment

General

- + 10 year impermeability guarantee (annual inspection by authorised dealer mandatory)

1. Chassis

- + Wide-track safety chassis with axle shock absorber
- + AL-KO smooth running chassis, fully galvanised
- + Steel rims 15"
- + AL-KO premium supports
- + Stabilizer safety coupling (AKS) 3004 with softdock
- + AL-KO Trailer Control – ATC
- + AL-KO Premium Break (automatic break lining adjustment)
- + Support wheel with towbar scale

2. BODY

- + TABBERT comfort roof, thickness 58 mm, roof rear-ventilated (diffusion function)
- + GFC roof with reduced hail sensitivity
- + Wall thickness 31 mm, roof thickness 58 mm (33 mm sandwich, 23.5 mm felt + 1.5mm GRP), floor thickness 48 mm
- + Hammer tone finish sheet metal in white
- + Single stripe molding silver/chrome
- + Front fender
- + Integrated gas bottle locker with aluminium floor, with parallel opening gas locker cover, with gas pressure damper and large opening
- + Entry step with integrated TABBERT emblem, insulated

- + Hinged window, tinted, heat insulating, with safety lock
- + Combined roller blinds and mosquito netting
- + Lift-tilt roof hood, clear glass / forced ventilation (700x500) - seating group
- + Lift-tilt roof hood, clear glass / forced ventilation (400x400) - sleeping area
- + Two-piece entrance door with window, roller blind, waste bin, tray and triple lock
- + One-key locking system
- + Comfortable maneuvering handles at the front
- + Ergonomic shunting bar at the back
- + Service hatch in side wall (depending on layout)
- + TABBERT taillight with conventional lighting technology
- + Extra bright LED awning light, 12 V, above entrance door

3. LIVING

- + Furniture decor „Noce Opera Caramel“
- + Furniture flaps in wood style
- + High-quality metal handles in chrome
- + Upholstery versions, options: Brown Stone, Pearl Leaf, Amber Leaf, Soft Carbon (extra charge: Active Line)
- + easy conversion of round seating group to bed (no compensating pad required)
- + Ventilated seat storage boxes and rear ventilation of ceiling cupboards
- + Storage compartments and surrounding storage space in seating group area
- + Textile room divider
- + Stylish panel curtains
- + High-quality corner shelves



Technical Data	DA VINCI 540 E 2,3	DA VINCI 550 DM 2,3	DA VINCI 560 TDL 2,5	DA VINCI 655 KD 2,5	DA VINCI 700 KD 2,5
Axles	1	1	1	2	2
Overall length in cm	785	785	807	861	947
Usable length in cm	568	568	590	660	746
Overall width / interior width in cm	232 / 216	232 / 216	250 / 234	250 / 234	250 / 234
Overall height / interior height in cm	265 / 196	265 / 196	265 / 196	265 / 196	265 / 196
Mass of unladen vehicle, approx. in kg *	1.430	1.430	1.520	1.640	1.890
Mass in ready to travel condition, approx. in kg *	1.500	1.500	1.590	1.710	1.960
Tecnically maximum authorized laden mass (kg)**	1.700	1.700	1.800	2.000	2.200
Maximum payload, approx. in kg *	200	200	210	290	240
Tyre size	205/70 R15 C	205/70 R15 C	205/70 R15 C	185/65 R15	205/65 R 15
Awning, A/A size in cm	1.030	1.030	1.052	1.122	1.208
Bed size, front, in cm	199 x 87/186x87	199 x 140	199x157	216 x 180	216 x 145/147
Bed size, middle, in cm	-	194 x 95	-	2 x 186 x 68	199 x 121/141
Bed size, rear, in cm	198 x 171/117	2 x 191 x 76 / Sow 3 x 191 x 76	216 x 145/209	199 x 157	183 x 110/57 / Bunk beds 2 x 193 x 77 / Opt. bunk beds 2 x 193 x 77 / + 1 x 193 x 68
Number of berths	up to 4	up to 6	up to 4	up to 6	up to 8
Number of roof hoods	2 + Midi Heki	1 + Midi Heki	1 + Midi Heki	1 + Midi Heki	2 + Midi Heki
Dometic type refrigerator / volume in liters	RML 9430 / 148	RML 9430 / 148	RML 9430 / 148	RML 9430 / 148	RML 8550 / 189
Truma type heating / Number of fans	S 5004/1	S 5004/1	S 5004/2	S 5004 / 2	S 5004 / 2
Entrance door (cm): W x H door	60/181	60/181	60/181	60/181	60/181

- + Single-post lift table for circular seating group
- + High-quality PVC flooring
- + Fixed beds with 5-zone comfort foam mattress
- + Slatted frame, tilting, with gas-charged shock absorber
- + Storage hatch in the bench side wall in the entrance area
- + Glass case with ceiling cupboard in entrance area (depending on layout)
- + 2-door cabinet in front/rear toilet cubicle
- + Safetylock closure for ceiling-mounted kitchen cupboard
- + Smoke alarm

4. KITCHEN AND SANITARY AREA

- + Dometic refrigerator (gas or 12 V *) or 230 V), with integrated light and freezer compartment (gas operation en route permitted only in combination with Mono or Dual Control)
- + 3-burner hob with electric ignition, cast grid and glass cover
- + Stainless sink
- + Automatic mixer taps in kitchen and washroom
- + TABBERT counter top (depending on layout)
- + Pantry pull-out with large drawers and soft-close slides (depending on layout)
- + Top cupboard with mirror and storage space in washroom
- + 12V lighting
- + Thetford bank toilet (Dometic ceramic cassette toilet for 700 KD)
- + Toilet shaft seal

5. POWER SUPPLY

- + 13-pole connector system "Jäger" (ISO 11446)
- + Halogen and LED recessed spots (power saving, long life)
- + Flicker-free 10 W reading spots (long life, no brightness fluctuations), position adjustable
- + Optimized voltage supply (constant brightness in changeable lighting conditions, no flickering, no voltage fluctuations, silent operation)
- + TV-ready (areal connection, satellite cable in place)
- + Converter/switching power supply, 400 Watt
- + USB connection socket
- + Wardrobe lighting
- + velocate® GPS Tracker (hardware without personal tracking function; theft tracking for additional charge)

6. GAS / WATER / HEATING

- + Convection gas heater
- + Hot water supply (in kitchen and toilet with Truma Therme)
- + Fresh water tank, 45 liters, permanently installed, internal and external filling option, cleaning opening
- + Water lines routed alongside air recirculation hose
- + Water filter system „BWT - Best-Camp mini“

Item No.		380 TD 2,3	450 TD 2,3	460 E 2,3	490 TD 2,3	495 HE 2,3	540 DM 2,5	540 E 2,3	550 DM 2,3	560 TDL 2,5	655 KD 2,5	700 KD 2,5	Weight	
Chassis														
150840	ALKO Big Foot for premium supports	•	•	•	•	•	•	•	•	•	•	•	2,5	
101353	Drawbar cover	•	•	•	•	•	•	•	•	•	•	•	4	
151678	Hydraulic supports – only in combination with 12V power supply package!	•	•	•	•	•	•	•	•	•	•	•	22	
151372	Spare wheel, 15" steel rim with standard tyre – not available for mono-axle with 2,000 kg	•	•	•	•	•	•	•	•	•	•	•	21	
151728	Spare wheel, 15" alloy rim - for mono-axle with 2,000 kg - option 152614	–	–	–	–	–	•	•	•	•	–	–	21	
152725	17" alloy wheels for single-axle models, polished in crystal silver in exclusive TABBERT Design	•	•	•	•	•	•	•	•	•	–	–	13	
152724	17" alloy wheels for single-axle models, gloss-polished in white in exclusive TABBERT Design	•	•	•	•	•	•	•	•	•	–	–	13	
152726	17" alloy wheels for tandem-axle models, front polished in crystal silver in exclusive TABBERT Design	–	–	–	–	–	–	–	–	–	•	•	26	
152727	17" alloy wheels for tandem-axle models, gloss-polished in white in exclusive TABBERT Design	–	–	–	–	–	–	–	–	–	•	•	26	
152565	Spare wheel, 17" alloy wheels in TABBERT Design	•	•	•	•	•	•	•	•	•	•	•	23	
152069	Truma Mover XT / mono-axle up to 2,000 kg – only in combination with 12 Volt package!	•	•	•	•	•	•	•	•	•	–	–	28	
152071	Truma Mover XT 2 / tandem-axle up to 2,400 kg GVW - only in combination with 12 Volt package!	–	–	–	–	–	–	–	–	–	•	•	28	
152072	Mover tandem-axle up to 2,401 kg GVW - only in combination with 12V power supply package!	–	–	–	–	–	–	–	–	–	•	•	60	
102232	Bicycle rack for 2 bikes - towbar mounting	•	•	•	•	•	•	•	•	•	•	•	9,7	
Roof, windows, gas bottle locker, doors, ventilation														
101342	Quarter window bed area front/rear - wall rack omitted	–	–	•	–	•	–	•	–	–	–	–	7	
100577	Roof railing	•	•	•	•	•	•	•	•	•	•	•	10	
101958	Storage hatch 60 x 95 cm, left or right (not available in combination with triple bunk bed option)	–	–	–	–	–	•	–	•	–	–	–	5,5	
101402	Mosquito netting door 1/1	•	•	•	•	•	•	•	•	•	•	•	4,3	
100612	Additional service hatch - position and size depending on layout	•	•	•	•	•	•	•	•	•	•	•	1,5	
102001	Lift-tilt roof hood (960x655) instead of lift-tilt roof hood (700x500)	–	•	•	•	•	•	•	•	•	•	•	11	
102211	TVT (Top Value Technology) – Body up to max. length 550	•	•	•	•	•	•	•	–	–	–	–	-	
102212	TVT (Top Value Technology) – from body length 550	–	–	–	–	–	–	–	•	•	•	•	-	
Moldings														
101397	Awning rails above front and/or rear window	•	•	•	•	•	•	•	•	•	•	•	3	
102000	Single strip molding additional - silver (chrome)	•	•	•	•	•	•	•	•	•	•	•	7	
102135	Awning strip molding with integrated lighting (dimmable)	•	•	•	•	•	•	•	•	•	•	•	3	
102245	Winter cover incl. awning rail rear	•	•	•	•	•	•	•	•	•	•	•	7	
102244	Winter cover incl. awning rail front	•	•	•	•	•	•	•	•	•	•	•	7	
Awnings														
500653	Awning 265 x 200 cm – roof-mounted installation	•	–	–	–	–	–	–	–	–	–	–	20	
500655	Awning 350 x 250 cm – roof-mounted installation	–	•	•	–	–	–	–	–	–	–	–	26	
500657	Awning 405 x 250 cm – roof-mounted installation	–	–	–	•	•	–	–	–	–	–	–	29	
501997	Awning 455 x 250 cm – roof-mounted installation	–	–	–	–	–	•	•	•	•	•	•	32	
Living														
550590	Triple bunk bed	–	–	–	–	–	•	–	•	–	–	•	12	
551965	Pull-out bed extension for central seating group	–	–	–	–	–	•	–	•	–	•	–	-	
551345	Carpeting, body width 2.3 m	•	•	•	•	•	–	•	•	–	–	–	7,5	
551346	Carpeting, body length up to 590	–	–	–	–	–	•	–	–	•	–	–	9	
551347	Carpeting from body length 655	–	–	–	–	–	–	–	–	–	•	•	11	
551408	Roll-out bed	–	–	•	–	•	–	•	–	–	–	–	2	
552030	TABBERT comfort sleeping system with disc spring bed base and WaterGel mattress	•	•	•	•	•	•	•	•	•	•	–	10	
552420	Sleep - 2 pillows and blankets (bed area)	•	•	•	•	•	•	•	•	•	•	•	3	
552351	Children's room decoration	–	–	–	–	–	•	–	•	–	•	•	2	
552262	Commode instead of toilet	–	•	–	•	–	–	–	–	–	•	•	-	
552613	Upholstery selection "Soft Carbon" (Active Line)	•	•	•	•	•	•	•	•	•	•	•	-	
Power Supply														
250073	230 V socket for power supply outside, incl. antenna connection	•	•	•	•	•	•	•	•	•	•	•	0,5	
250072	Additional internal 230 V socket	•	•	•	•	•	•	•	•	•	•	•	0,3	
250940	12 V socket, additional, inside	•	•	•	•	•	•	•	•	•	•	•	0,3	
551480	Ambiance lighting, indirect LED light strip	•	•	•	•	•	•	•	•	•	•	•	1	
251337	Antenna cable on the drawbar, 10 m length	•	•	•	•	•	•	•	•	•	•	•	4	

Item No.		380 TD 2,3	450 TD 2,3	460 E 2,3	490 TD 2,3	495 HE 2,3	540 DM 2,5	540 E 2,3	550 DM 2,3	560 TDL 2,5	655 KD 2,5	700 KD 2,5	Weight	
251998	Antenna package CARO®+	•	•	•	•	•	•	•	•	•	•	•	14	
252408	21,5" TV unit with HD tuner	•	•	•	•	•	•	•	•	•	•	•	4	
252204	Entrance step illuminated	•	•	•	•	•	•	•	•	•	•	•	0,5	
551415	TV holder for flatscreen TV with 230 V	•	•	•	•	•	•	•	•	•	•	•	3	
250231	Radio DAB+/CD/MP3-Tuner with USB incl. DAB+ antenna - only available in combination with radio preparation	•	•	•	•	•	•	•	•	•	•	•	3	
252034	Radio preparation with 2 speakers in living area and 2 speakers in sleeping area incl. DAB+ antenna	•	•	•	•	•	•	•	•	•	•	•	3,5	
252190	Sound system with radio, 2 speakers in living area and 2 speakers in sleeping area, subwoofer, amplifier with audio jack cable from TV to sound system (only in conjunction with 12 V package)	•	•	•	•	•	•	•	•	•	•	•	5,5	
251491	Awning light with motion sensor	•	•	•	•	•	•	•	•	•	•	•	-	
252815	velocate® LIFETIME license with unlimited, personal, EU-wide tracking function (only possible with option number: 252698)	•	•	•	•	•	•	•	•	•	•	•		

Kitchen and sanitary area

400573	12 V fridge fan	•	•	•	•	•	•	•	•	•	•	•	0,3	
400622	Extractor hood	•	•	•	•	•	•	•	•	•	•	•	5	
451441	Shower unit with taps, no 230 V socket in washroom	•	•	•	•	•	•	•	•	•	•	x	4	
101341	Quarter window toilet cubicle 500 x 520 (incl. roller blind, only for mid-position toilet cubicle)	x	x	•	x	•	x	•	x	x	x	x	3	
450563	Fill level display for fresh water tank	•	•	•	•	•	•	•	•	•	•	•	-	
400060	Microwave (in kitchen block - drawer is omitted)	–	–	–	•	•	–	•	•	•	•	•	15	

Gas, water, heating

300518	Gas socket, front, right	•	•	•	•	•	•	•	•	•	•	•	1,5	
301057	Remote display + Ice-Ex	•	•	•	•	•	•	•	•	•	•	•	0,5	
301956	Truma MonoControl CS incl. gas filter	•	•	•	•	•	•	•	•	•	•	•	1,3	
301957	Truma DuoControl CS incl. gas filter	•	•	•	•	•	•	•	•	•	•	•	1,8	
550086	Heating with Ultra-Heat (Truma electric heater) – not available in combination with Alde hot water boiler	•	•	•	•	•	•	•	•	•	•	•	2	
351388	Underfloor heating up to 560	•	•	•	•	•	•	•	•	–	–	–	10	
351389	Underfloor heating from 560	–	–	–	–	–	–	–	–	•	•	•	10	
352389	Chimney Extension	•	•	•	•	•	•	•	•	•	•	•	0,3	
102036	Winter cover for fridge grid	•	•	•	•	•	•	•	•	•	•	•	0,3	
450092	Waste water tank 25 liters, mobile, with odor trap	•	•	•	•	•	•	•	•	•	•	•	4	
351386	Alde hot water boiler via gas operation and/or 3 kW electric heating cartridge (service hatches omitted)	–	–	–	•	•	•	•	•	•	•	•	34	
451443	City water connection – via 45 liter tank (filled from outside)	•	•	•	•	•	•	•	•	•	•	•	6,5	
451444	City water connection – via 70 liter tank (filled from outside)	•	•	•	•	•	•	•	•	•	•	•	6,5	
451481	Hot water system with boiler via Truma Boiler BN 10 (gas/electric) - no Truma Therme	•	•	•	•	•	•	•	•	•	•	•	9,5	
451445	Water connection fixed with pressure reducer (without tank 45 liter)	•	•	•	•	•	•	•	•	•	•	•	1	
451960	Fresh water tank, 70 liters	–	•	•	•	•	–	•	–	•	•	•	5,5	

Air conditioning

552052	Roof-mounted air conditioning / Dometic Freshjet 2200	•	•	•	•	•	•	•	•	•	•	•	35	
552275	Roof-mounted air conditioning / Truma Aventa Comfort	–	–	–	•	–	•	–	–	•	–	–	33	

Weight increase

150111	1.400 up to 1.500 kg (1500 kg chassis)	•	–	–	–	–	–	–	–	–	–	–	-	
150112	1.500 up to 1.600 kg / 1.700 kg** (1700 kg chassis)	–	•	•	–	–	–	–	–	–	–	–	25	
150112	1.500 up to 1.800 kg** (1800 kg chassis)	–	–	•	–	–	–	–	–	–	–	–	25	
150111	1.600 up to 1.700 kg (1700 kg chassis)	–	–	–	•	•	–	–	–	–	–	–	-	
150112	1.600 up to 1.800 kg** (1800 kg chassis)	–	–	–	•	•	–	–	–	–	–	–	15	
150112	1.700 up to 1.800 kg** (1800 kg chassis)	–	–	–	–	–	•	•	•	–	–	–	15	
152614	1.700 up to 1.900 kg / 2.000 kg*** (2000 kg chassis. incl. 15" Aluminium wheels, silver)	–	–	–	–	–	•	•	•	–	–	–	25	
152614	1.800 up to 1.900 kg / 2.000 kg*** (2000 kg chassis. incl. 15" Aluminium wheels, silver)	–	–	–	–	–	–	–	–	•	–	–	25	
150112	2.000 up to 2.500 kg** (2000 kg chassis)	–	–	–	–	–	–	–	–	•	–	–	40	
150111	2.200 up to 2.500 kg (2500 kg chassis)	–	–	–	–	–	–	–	–	–	•	–	-	
150112	2.200 up to 2.760 kg** (2760 kg chassis)	–	–	–	–	–	–	–	–	–	•	–	20	

** Available up to 3 months before production

*** Alloy rims must be fitted for load increases to 1,900/2,000 kg due to their higher payload capacity.

Technische Daten



Technical Data	PEP 490 TD 2,3	PEP 540 E 2,3	PEP 550 DM 2,3
Axles	1	1	1
Overall length in cm	731	785	785
Usable length in cm	532	568	568
Overall width / interior width in cm	232 / 216	232 / 216	232 / 216
Overall height / interior height in cm	262 / 196	262 / 196	262 / 196
Mass of unladen vehicle, approx. in kg *	1.360	1.460	1.460
Mass in ready to travel condition, approx. in kg *	1.430	1.530	1.530
Tecnically maximum authorized laden mass (kg)**	1.600	1.700	1.700
Maximum payload, approx. in kg *	170	170	170
Tyre size	215/60 R17C LI 109 / M	215/60 R17C LI 109 / M	215/60 R17C LI 109 / M
Awning, A/A size in cm	990	1.030	1.030
Bed size, front, in cm	199 x 139	199 x 86/186x86	199 x 139
Bed size, middle, in cm	-	-	194 x 94
Bed size, rear, in cm	198 x 145/145	198 x 171/117	2 x 191 x 76 Opt. 3 x 191 x 76
Number of berths	up to 4	up to 4	up to 6
Number of roof hoods	1 + Midi Heki	2 + Midi Heki	1 + Midi Heki
Dometic type refrigerator / volume in liters	RML 9430 / 148	RML 9430 / 148	RML 9430 / 148
Truma type heating / Number of fans	S 3004 / 1	S 5004/1	S 5004/1
Entrance door (cm): W x H door	60/181	60/181	60/181

Standard Equipment

General

- + 10 year impermeability guarantee (annual inspection by authorised dealer mandatory)

1. Chassis

- + Wide-track safety chassis with axle shock absorber
- + AL-KO smooth running chassis, fully galvanised
- + AL-KO premium supports
- + Stabilizer safety coupling (AKS) 3004 with softdock
- + AL-KO Trailer Control – ATC
- + AL-KO Premium Break (automatic break lining adjustment)
- + 17" Alloy rims silver
- + Support wheel with towbar scale

2. BODY

- + TABBERT comfort roof, thickness 58 mm, roof rear-ventilated (diffusion function)
- + GFC roof with reduced hail sensitivity
- + Wall thickness 31 mm, roof thickness 58 mm (33 mm sandwich, 23.5 mm felt + 1.5mm GRP), floor thickness 48 mm
- + Smooth metal in white
- + Integrated gas bottle locker with aluminium floor, with parallel opening gas locker cover, with gas pressure damper and large opening
- + Entry step with integrated TABBERT emblem, insulated
- + Hinged window, tinted, heat insulating, with safety lock
- + Combined roller blinds and mosquito netting
- + Lift-tilt roof hood, clear glass / forced ventilation (700x500)
- + Lift-tilt roof hood, clear glass / forced ventilation (400x400)
- + Two-piece entrance door with window, roller blind, waste bin, tray and triple lock
- + One-key locking system
- + Comfortable maneuvering handles at the front
- + Ergonomic shunting bar at the back
- + Service hatch in side wall (depending on layout)
- + TABBERT taillight with conventional lighting technology
- + Awning light above entrance door – with motion sensor
- + Right awning strip molding with integrated lighting (dimmable)
- + Mosquito netting door 1/1

3. LIVING

- + Furniture decor „Cocobolo“
- + Furniture flaps in Antique White and Turquoise
- + High-quality metal handles in chrome
- + Upholstery versions, options: SUNNY YELLOW, MINT BLUE, BERRY RED
- + easy conversion of round seating group to bed (no compensating pad required)
- + Ventilated seat storage boxes and rear ventilation of ceiling cupboards
- + Storage compartments and surrounding storage space in seating group area
- + Textile room divider
- + Stylish panel curtains
- + High-quality corner shelves

- + Single-post lift table for circular seating group
- + High-quality PVC flooring
- + Fixed beds with 5-zone comfort foam mattress
- + Slatted frame, tilting, with gas-charged shock absorber
- + Storage hatch in the bench side wall in the entrance area
- + Glass case with ceiling cupboard in entrance area (depending on layout)
- + 2-door cabinet in front/rear toilet cubicle
- + Safetylock closure for ceiling-mounted kitchen cupboard
- + Smoke alarm

4. KITCHEN AND SANITARY AREA

- + Dometic refrigerator (gas or 12 V ¹) or 230 V), with integrated light and freezer compartment (gas operation en route permitted only in combination with Mono or Dual Control)
- + 3-burner hob with electric ignition, cast grid and glass cover
- + Stainless sink
- + Automatic mixer taps in kitchen and washroom
- + TABBERT counter top (depending on layout)
- + Pantry pull-out with large drawers and soft-close slides (depending on layout)
- + Top cupboard with mirror and storage space in washroom
- + 12V lighting
- + 230V-Warmwasserbereitung über Truma Therme
- + Thetford bank toilet
- + Toilet shaft seal
- + Fill level display for fresh water tank (only in conjunction with 45 liter fresh water tank)

5. POWER SUPPLY

- + 13-pole connector system "Jäger" (ISO 11446)
- + Flächenspot NTO LED
- + Optimized voltage supply (constant brightness in changeable lighting conditions, no flickering, no voltage fluctuations, silent operation)
- + TV-ready (areal connection, satellite cable in place)
- + Converter/switching power supply, 400 Watt
- + USB connection socket
- + Wardrobe lighting
- + Lighted entry step
- + Ambient lighting
- + velocate® GPS Tracker (hardware without personal tracking function; theft tracking for additional charge)

6. GAS / WATER / HEATING

- + Convection gas heater
- + Hot water supply (in kitchen and toilet with Truma Therme)
- + Fresh water tank, 45 liters, permanently installed, internal and external filling option, cleaning opening
- + Water lines routed alongside air recirculation hose
- + Water filter system „BWT - Best-Camp mini“

Item No.		490 TD 2,3	540 E 2,3	550 DM 2,3	Weight	
Chassis						
150840	ALKO Big Foot for premium supports	•	•	•	2,5	
101353	Drawbar cover	•	•	•	4	
151678	Hydraulic supports – only in combination with 12V power supply package!	•	•	•	22	
152565	Spare wheel, 17" alloy wheels in TABBERT Design	•	•	•	23	
152069	Truma Mover XT / mono-axle up to 2,000 kg – only in combination with 12 Volt package!	•	•	•	28	
102232	Bicycle rack for 2 bikes - towbar mounting	•	•	•	9,7	
102503	Designvariante RED	•	•	•	-	
Roof, windows, gas bottle locker, doors, ventilation						
101342	Quarter window bed area front/rear - wall rack omitted	X	•	X	7	
100577	Roof railing	•	•	•	10	
101958	Storage hatch 60 x 95 cm, left or right (not available in combination with triple bunk bed option)	–	–	•	5,5	
100612	Additional service hatch - position and size depending on layout	•	•	•	1,5	
102001	Heki II instead of Midi Heki (only in living area)	•	•	•	11	
Moldings						
101397	Awning rails above front and/or rear window	•	•	•	3	
Awnings						
500657	Awning 405 x 250 cm – roof-mounted installation	•	–	–	29	
501997	Awning 455 x 250 cm – roof-mounted installation	–	•	•	32	
Living						
550590	Triple bunk bed	–	–	•	12	
551965	Pull-out bed extension for central seating group (to 123 cm)	–	–	•	-	
551345	Carpeting, body width 2.3 m (not possible with option furniture change)	•	•	•	7,5	
551408	Roll-out bed	–	•	–	2	
552030	TABBERT comfort sleeping system with disc spring bed base and breathable mattress	•	•	•	10	
552420	Sleep - 2 pillows and blankets (bed area)	•	•	•	4	
552421	„Deco“ 2 pillows and tablecloth	•	•	•	3	
Power Supply						
250073	230 V socket for power supply outside, incl. antenna connection	•	•	•	0,5	
250072	Additional internal 230 V socket	•	•	•	0,3	
250940	12 V socket, additional, inside	•	•	•	0,3	
251337	Antenna cable on the drawbar, 10 m length	•	•	•	4	
251998	Antenna package CARO®+	•	•	•	14	
252408	21,5" TV unit with HD tuner	•	•	•	4	
551415	TV holder for flatscreen TV with 230 V	•	•	•	3	
250231	Radio DAB+/CD/MP3-Tuner with USB incl. DAB+ antenna - only available in combination with radio preparation	•	•	•	3	
252034	Radio preparation with 2 speakers in living area and 2 speakers in sleeping area incl. DAB+ antenna	•	•	•	3,5	
252190	Sound system with radio, 2 speakers in living area and 2 speakers in sleeping area, subwoofer, amplifier with audio jack cable from TV to sound system (only in conjunction with 12 V package)	•	•	•	5,5	
252815	velocate® LIFETIME license with unlimited, personal, EU-wide tracking function (only possible with option number: 252698)	•	•	•		

Item No.		490 TD 2,3	540 E 2,3	550 DM 2,3	Weight	
Kitchen and sanitary area						
400573	12 V fridge fan	•	•	•	0,3	
400622	Extractor hood	•	•	•	5	
451441	Shower unit with taps, no 230 V socket in washroom	•	•	•	3,5	
101341	Quarter window toilet cubicle 500 x 520 (incl. roller blind, only for mid-position toilet cubicle)	–	•	–	3	
400060	Microwave (in kitchen block - drawer is omitted)	•	•	•	15	

Gas, water, heating						
300518	Gas socket, front, right	•	•	•	1,5	
301057	Remote display + Ice-Ex	•	•	•	0,5	
301956	Truma MonoControl CS incl. gas filter	•	•	•	1,3	
301957	Truma DuoControl CS incl. gas filter	•	•	•	1,8	
550086	Heating with Ultra-Heat (Truma electric heater) – not available in combination with Alde hot water boiler	•	•	•	2	
351388	Underfloor heating up to 560	•	•	•	10	
450092	Waste water tank 25 liters, mobile, with odor trap	•	•	•	4	
451443	City water connection – via 45 liter tank (filled from outside)	•	•	•	6,5	
451444	City water connection – via 70 liter tank (filled from outside)	•	•	–	6,5	
451481	Hot water system with boiler via Truma Boiler BN 10 (gas/electric) - no Truma Therme	•	•	•	9,5	
451960	Fresh water tank, 70 liters, integrated in function floor	•	•	–	5,5	

Air conditioning						
552052	Roof-mounted air conditioning / Dometic Freshjet 2200	•	•	•	35	

Weight increase						
150111	1.600 up to 1.700 kg** (1700 kg chassis)	•	–	–	–	
150112	1.600 up to 1.800 kg** (1800 kg chassis)	•	–	–	15	
150112	1.700 up to 1.800 kg** (1800 kg chassis)	–	•	•	15	
152614	1.700 up to 1.900 kg / 2.000 kg*** (2000 kg chassis incl. 15" Aluminium wheels, silver)	–	•	•	15	
**	Available up to 3 months before production					
***	Alloy rims must be fitted for load increases to 1,900/2,000 kg due to their higher payload capacity.					



Technical Data	VIVALDI 460 E 2,3	VIVALDI 490 TD 2,3	VIVALDI 550 E 2,3	VIVALDI 550 E 2,5	VIVALDI 550 DF 2,5
Axles	1	1	1	1	1
Overall length in cm	691	727	787	787	787
Usable length in cm	492	528	570	570	570
Overall width / interior width in cm	232 / 216	232 / 216	232 / 216	250 / 234	250 / 234
Overall height / interior height in cm	265 / 196	265 / 196	265 / 196	265 / 196	265 / 196
Mass of unladen vehicle, approx. in kg *	1.320	1.410	1.480	1.520	1.520
Mass in ready to travel condition, approx. in kg *	1.390	1.480	1.550	1.590	1.590
Tecnically maximum authorized laden mass (kg)**	1.600	1.700	1.800	1.800	1.800
Maximum payload, approx. in kg *	210	220	250	210	210
Tyre size	205/70 R15C	205/70 R15C	205/70 R15C	205/70 R15C	205/70 R15C
Awning, A/A size in cm	954	990	1.032	1.032	1.032
Bed size, front, in cm	200 x 85/188x85	200 x 139	200 x 85/188x85	200 x 85/188x85	191 x 148
Bed size, middle, in cm	-	-	-	-	190x105 / Opt. 190x135
Bed size, rear, in cm	198 x 109/115	198 x 121/138	198 x 132/145	216 x 132/145	-
Number of berths	up to 3	up to 4	up to 4	up to 4	up to 3
Number of roof hoods	2 + Midi Heki bel.	1 + Midi Heki bel.	2 + Midi Heki bel.	2 + Midi Heki bel.	1 + Midi Heki bel.
Dometic type refrigerator / volume in liters	RMS 8500 / 92	RMD 10.5 / 153	RMD 10.5 / 153	RMD 10.5 / 153	RMD 10.5 / 153
Truma type heating	Combi 6	Combi 6	Combi 6	Combi 6	Combi 6
Entrance door (cm): W x H door	60/181	60/181	70/181	70/181	70/181

Standard Equipment

General

- + 10 year impermeability guarantee (annual inspection by authorised dealer mandatory)

1. Chassis

- + Wide-track safety chassis with axle shock absorber
- + AL-KO smooth running chassis, fully galvanised
- + Steel rims 15"
- + Low profile tyres
- + AL-KO premium supports
- + Stabilizer safety coupling (AKS) 3004 with softdock
- + AL-KO Trailer Control – ATC
- + AL-KO Premium Break (automatic break lining adjustment)
- + Support wheel with towbar scale

2. BODY

- + TABBERT comfort roof, thickness 58 mm, roof rear-ventilated (diffusion function)
- + GFC roof with reduced hail sensitivity
- + Wall thickness 31 mm, roof thickness 58 mm, floor thickness 47 mm
- + Hammer tone finish sheet metal in white
- + Single stripe molding silver/chrome
- + Front fender with inlay (silver)
- + Integrated gas bottle locker with aluminium floor, with parallel opening gas locker cover, with gas pressure damper and large opening
- + Lighted entry step with TABBERT emblem (integrated and insulated)

- + Hinged window, tinted, heat insulating, with safety lock
- + Combined roller blinds and mosquito netting
- + Lift-tilt roof hood lighted, clear glass / forced ventilation (960x655) - seating group
- + Lift-tilt roof hood, clear glass / forced ventilation (400x400) - sleeping area
- + Cabin door: TABBERT KOMFORT with automotive locking system, double sealing, without window, 2 foldable clothes hangers
- + One-key locking system
- + Comfortable maneuvering handles at the front
- + Ergonomic shunting bar at the back
- + Service hatch in bed area (depending on layout)
- + TABBERT taillight with homogeneous LED rear lamp
- + LED awning light above entrance door – with motion sensor

3. LIVING

- + Furniture decor „Noce Cognac light“
- + High-quality metal handles in chrome
- + Upholstery versions, options: Silver Pearl, Chocolate Arrow, Vanilla Leaf, Sandy Beach (extra charge: Active Line), Coffe Forest (extra charge: real leather)
- + Easy conversion of round seating group to bed (no compensating pad required)
- + Ventilation grate in bench or bed frame
- + Ceiling cupboards with rear ventilation
- + Storage compartments and surrounding storage space in seating group area
- + Wooden sliding door as room divider (depending on layout)
- + Stylish panel curtains



Technical Data	VIVALDI 560 EMK 2,5	VIVALDI 560 TD 2,5	VIVALDI 560 TDL 2,5	VIVALDI 685 DF 2,5
Axles	1	1	1	2
Overall length in cm	805	805	805	891
Usable length in cm	588	588	588	690
Overall width / interior width in cm	250 / 234	250 / 234	250 / 234	250 / 234
Overall height / interior height in cm	265 / 196	265 / 196	265 / 196	265 / 196
Mass of unladen vehicle, approx. in kg *	1.550	1.550	1.550	1.770
Mass in ready to travel condition, approx. in kg *	1.620	1.620	1.620	1.840
Tecnically maximum authorized laden mass (kg)**	1.800	1.800	1.800	2.200
Maximum payload, approx. in kg *	180	180	180	360
Tyre size	205/70 R15C	205/70 R15C	205/70 R15C	205/65 R 15
Awning, A/A size in cm	1.050	1.050	1.050	1.152
Bed size, front, in cm	200 x 85/188x85	200 x 155	200 x 155	191 x 148
Bed size, middle, in cm	190x105 / Opt. 190x135	-	-	-
Bed size, rear, in cm	2 x 208 x 78 / Opt. bunk beds 1 x 210x72 / + 1 x 210x775+ 1x 203x80	216 x 150/167	216 x 150/205	216 x 157/167
Number of berths	up to 6	up to 4	up to 4	up to 4
Number of roof hoods	2 + Midi Heki bel.	1 + Midi Heki bel.	1 + Midi Heki bel.	2 + Midi Heki bel.
Dometic type refrigerator / volume in liters	RML 9430 / 148	RMD 10.5 / 153	RMD 10.5 / 153	RMD 10.5 / 153
Truma type heating	Combi 6	Combi 6	Combi 6	Combi 6
Entrance door (cm): W x H door	60/181	70/181	70/181	70/181

- + High-quality corner shelves
- + Single-post lift table for circular seating group
- + Atmospheric ambient lighting
- + High-quality PVC flooring
- + Fixed beds with 5-zone comfort foam mattress
- + Slatted frame, tilting, with gas-charged shock absorber
- + Storage hatch in the bench side wall in the entrance area
- + Glass case with ceiling cupboard in entrance area (depending on layout)
- + 4-door cabinet in front/rear toilet cubicle
- + Safetylock closure for ceiling-mounted kitchen cupboard
- + Smoke alarm

4. KITCHEN AND SANITARY AREA

- + Dometic refrigerator (gas or 12 V '1) or 230 V), with integrated light and freezer compartment (gas operation en route permitted only in combination with Mono or Dual Control)
- + 3-burner hob with electric ignition, cast grid and glass cover
- + Stainless steel sink with glass cover
- + Automatic mixer taps in kitchen and washroom
- + Large drawers and soft-close slides (depending on layout)
- + Pantry pull-out (only on 550 DF)
- + Top cupboard with indirectly lit mirror and storage space, in washroom
- + 12V LED lighting
- + Thetford bank toilet (toilet with separate water tank)
- + Toilet shaft seal
- + TABBERT comfort bath (front/rear) length 1280

- + Hinged window toilet room (front/rear)

5. POWER SUPPLY

- + 13-pole connector system "Jäger" (ISO 11446)
- + LED recess mounted spots (power saving, long life)
- + Non-flicker reading spots
- + Optimized voltage supply (constant brightness in changeable lighting conditions, no flickering, no voltage fluctuations, silent operation)
- + TV-ready (antenna connection, roof reinforcement for automatic antenna, SAT cable installed)
- + Converter/switching power supply, 400 Watt
- + Protected electric cable routing
- + USB connection socket: 1x living area, 4x bed area
- + Ambiance lighting
- + Indirectly lit mirror over washbasin
- + Wardrobe lighting
- + velocate® GPS Tracker (hardware without personal tracking function; theft tracking for additional charge)

6. GAS / WATER / HEATING

- + Convection gas heater (Combi 6 with i-Net)
- + Hot water supply (in kitchen and toilet)
- + Fresh water tank, 45 liters, permanently installed, internal and external filling option, cleaning opening
- + Water lines routed alongside air recirculation hose
- + Water filter system „BWT - Best-Camp mini“

Item No.		460 E 2,3	490 TD 2,3	550 DF 2,5	550 E 2,3	550 E 2,5	560 EMK 2,5	560 TD 2,5	560 TDL 2,5	685 DF 2,5	Weight	
Chassis												
150840	ALKO Big Foot for premium supports	•	•	•	•	•	•	•	•	•	2,5	
101353	Drawbar cover	•	•	•	•	•	•	•	•	•	4	
151678	Hydraulic supports – only in combination with 12V power supply package!	•	•	•	•	•	•	•	•	•	22	
151372	Spare wheel, 15" steel rim with standard tyre – not available for mono-axle with 2,000 kg	•	•	•	•	•	•	•	•	•	21	
151728	Spare wheel, 15" alloy rim - for mono-axle with 2,000 kg - option 152614	–	–	•	•	•	•	•	•	–	21	
152725	17" alloy wheels for single-axle models, polished in crystal silver in exclusive TABBERT Design	•	•	•	•	•	•	•	•	–	13	
152724	17" alloy wheels for single-axle models, gloss-polished in white in exclusive TABBERT Design	•	•	•	•	•	•	•	•	–	13	
152726	17" alloy wheels for tandem-axle models, front polished in crystal silver in exclusive TABBERT Design	–	–	–	–	–	–	–	–	•	26	
152727	17" alloy wheels for tandem-axle models, gloss-polished in white in exclusive TABBERT Design	–	–	–	–	–	–	–	–	•	26	
152565	Spare wheel, 17" alloy wheels in TABBERT Design	•	•	•	•	•	•	•	•	•	23	
152069	Truma Mover XT / mono-axle up to 2,000 kg – only in combination with 12 Volt package!	•	•	•	•	•	•	•	•	–	28	
152071	Truma Mover XT 2 / tandem-axle up to 2,400 kg GVW - only in combination with 12 Volt package!	–	–	–	–	–	–	–	–	•	28	
152072	Mover tandem-axle up to 2,401 kg GVW - only in combination with 12V power supply package!	–	–	–	–	–	–	–	–	•	60	
102232	Bicycle rack for 2 bikes - towbar mounting	•	•	•	•	•	•	•	•	•	9,7	
Roof, windows, gas bottle locker, doors, ventilation												
102564	Cabin door TABBERT PREMIUM (600 mm) with the following additional equipment as compared to TABBERT COMFORT door: Multi-locking, covered hinge system, incl. window with pleated shade, integrated umbrella slot, high-quality applications, multifunctional bag in TABBERT Design	•	•	–	–	–	•	–	–	–	2	
102564	Cabin door TABBERT PREMIUM (700 mm) with the following additional equipment over TABBERT COMFORT door: Multi-locking, covered hinge system, incl. window with pleated shade, integrated umbrella slot, high-quality applications, multifunctional bag in TABBERT Design	–	–	•	•	•	–	•	•	•	3	
102577	Matching multifunctional bag in TABBERT design as an extension to the TABBERT COMFORT cabin door	•	•	•	•	•	•	•	•	•	0,5	
101342	Quarter window front	•	–	–	•	•	•	–	–	–	7	
100960	Roof hood 280x280 - bathroom	X	•	•	X	X	•	•	•	X	-	
100750	Lift-tilt roof hood (700x500) instead of lift-tilt roof hood (400x400) - bed area	–	•	–	–	–	•	•	•	–	8	
102001	Lift-tilt roof hood (960x655) instead of lift-tilt roof hood (400x400) - bed area	•	–	•	•	•	–	–	–	•	9	
100577	Roof railing	•	•	•	•	•	•	•	•	•	10	
101402	Mosquito netting door 1/1	•	•	•	•	•	•	•	•	•	3	
100612	Additional service hatch - position and size depending on layout	•	•	•	•	•	•	•	•	•	1,5	
101958	Garage door 60 x 95 cm	–	–	–	–	–	•	–	–	–	5,5	
102211	TVT (Top Value Technology) – Body up to max. length 550	•	•	–	–	–	–	–	–	–	-	
102212	TVT (Top Value Technology) – from body length 550	–	–	•	•	•	•	•	•	•	-	
Moldings												
101397	Awning rails above front and/or rear window	•	•	•	•	•	•	•	•	•	3	
102000	Single strip molding additional - silver (chrome)	•	•	•	•	•	•	•	•	•	7	
102135	Right awning strip molding with integrated lighting (dimnable)	•	•	•	•	•	•	•	•	•	3	
102245	Winter cover incl. awning rail rear	•	•	•	•	•	•	•	•	•	7	
102244	Winter cover incl. awning rail front	•	•	•	•	•	•	•	•	•	7	
Awnings												
500655	Awning 350 x 250 cm – roof-mounted installation	•	–	–	–	–	–	–	–	–	26	
500657	Awning 405 x 250 cm – roof-mounted installation	–	•	–	–	–	–	–	–	–	29	
501997	Awning 455 x 250 cm – roof-mounted installation	–	–	•	•	•	•	•	•	•	32	
Living												
551345	Carpeting, body width 2.3 m	•	•	–	•	–	–	–	–	–	7,5	
551346	Carpeting, body length up to 590	–	–	•	–	•	•	•	•	–	9	
551347	Carpeting from body length 655	–	–	–	–	–	–	–	–	•	11	
551408	Roll-out bed	•	–	–	•	•	•	–	–	–	2	
551979	3rd bunk bed	–	–	–	–	–	•	–	–	–	12	
551965	Pull-out bed extension for central seating group	–	–	•	–	–	•	–	–	–	-	
552030	TABBERT comfort sleeping system with disc spring bed base and WaterGel mattress	•	•	•	•	•	•	•	•	•	10	
552420	Sleep - 2 pillows and blankets (bed area)	•	•	•	•	•	•	•	•	•	3	
552613	Upholstery selection "Soft Carbon" (Active Line)	•	•	•	•	•	•	•	•	•	-	
552205	Upholstery selection "Coffee Forest" (real leather)	•	•	•	•	•	•	•	•	•	-	
552191	Upholstery version "Exclusiv" (bed frame and compensating pad included)	•	•	•	•	•	•	•	•	•	-	
552109	Wardrobe instead of shower room	–	–	–	–	–	–	–	–	•	-	

Item No.		460 E 2,3	490 TD 2,3	550 DF 2,5	550 E 2,3	550 E 2,5	560 EMK 2,5	560 TD 2,5	560 TDL 2,5	685 DF 2,5	Weight	
552351	Children's room decoration	-	-	-	-	-	•	-	-	-	2	

Power Supply												
250073	230 V socket for power supply outside, incl. antenna connection	•	•	•	•	•	•	•	•	•	0,5	
250072	Additional internal 230 V socket	•	•	•	•	•	•	•	•	•	0,3	
250940	12 V socket, additional, inside	•	•	•	•	•	•	•	•	•	0,3	
251337	Antenna cable on the drawbar, 10 m length	•	•	•	•	•	•	•	•	•	4	
251998	Antenna package CARO®+	•	•	•	•	•	•	•	•	•	14	
252284	32" TV unit with HD tuner	-	•	•	•	•	-	•	•	•	6	
252408	21,5" TV unit with HD tuner	•	•	•	•	•	•	•	•	•	5	
551415	TV holder for flatscreen TV with 230 V (TV position required)	•	•	•	•	•	•	•	•	•	3	
551702	6 additional LED ceiling spots – technology in roof – bedroom	•	•	•	•	•	•	•	•	•	1,5	
250231	Radio DAB+/CD/MP3-Tuner with USB incl. DAB+ antenna - only available in combination with radio preparation	•	•	•	•	•	•	•	•	•	3	
252034	Radio preparation with 2 speakers in living area and 2 speakers in sleeping area incl. DAB+ antenna	•	•	•	•	•	•	•	•	•	3,5	
251362	Underfloor lighting, LED	•	•	•	•	•	•	•	•	•	2,5	
252815	velocate® LIFETIME license with unlimited, personal, EU-wide tracking function (only possible with option number: 252698)	•	•	•	•	•	•	•	•	•		

Kitchen and sanitary area												
400573	12 V fridge fan	•	•	•	•	•	•	•	•	•	0,3	
552603	Pantry pull-out (in media furniture)	-	•	•	•	•	-	•	•	•	2,5	
400060	Microwave	•	•	•	•	•	•	•	•	•	15	
400369	Oven	•	•	•	•	•	•	•	•	•	13	
400622	Extractor hood	•	•	-	•	•	•	•	•	•	5	
451441	Shower unit with taps, no 230 V socket in washroom	•	•	•	•	•	•	•	•	-	3,5	
451442	Comfort shower with folding door in front washroom (no hinged window in washroom)	-	•	•	-	-	-	•	•	-	6	
451777	Wood grille for shower tray	•	•	•	•	•	•	•	•	X	2,5	
101341	Quarter window toilet cubicle 500 x 520 (incl. roller blind)	•	X	X	•	•	X	X	X	•	3	
450563	Fill level display for fresh water tank (only in conjunction with 45 liter fresh water tank)	•	•	•	•	•	•	•	•	•	-	

Gas, water, heating												
450092	Waste water tank 25 liters, mobile, with odor trap	•	•	•	•	•	•	•	•	•	4	
351274	Heater, Truma Combi E instead of Truma Combi	•	•	•	•	•	•	•	•	•	-	
351386	Alde hot water boiler via gas operation and/or 3 kW electric heating cartridge (service hatches omitted)	-	-	•	•	•	•	•	•	•	34	
351967	ALDE hot water underfloor heating (only possible with option 351386)	-	-	•	•	•	•	•	•	•		
451443	City water connection – via 45 liter tank (filled from outside)	•	•	•	•	•	•	•	•	•	6,5	
451444	City water connection – via 70 liter tank (filled from outside)	•	•	•	•	•	•	•	•	•	6,5	
301057	Remote display + Ice-Ex	•	•	•	•	•	•	•	•	•	0,5	
351388	Underfloor heating up to 560	•	•	•	•	•	-	-	-	-	10	
351389	Underfloor heating from 560	-	-	-	-	-	•	•	•	•	10	
102036	Winter cover for fridge grid	•	-	-	-	-	•	-	-	-	0,3	
300518	Gas socket, front, right	•	•	•	•	•	•	•	•	•	1,5	
301956	Truma MonoControl CS incl. gas filter	•	•	•	•	•	•	•	•	•	3,5	
301957	Truma DuoControl CS incl. gas filter	•	•	•	•	•	•	•	•	•	2	
451960	Fresh water tank, 70 liters	•	•	•	•	•	•	•	•	•	1,3	
552262	Commode instead of toilet	•	•	•	•	•	•	•	•	•	1,8	

TÜV TRAILER CERTIFICATE												
951036	TÜV and registration document	•	•	•	•	•	•	•	•	•		

Weight increase												
150111	1.600 up to 1.700 kg (1700 kg chassis)	•	-	-	-	-	-	-	-	-	-	
150112	1.700 up to 1.800 kg** (1800 kg chassis)	•	•	-	-	-	-	-	-	-	15	
152614	1.700 up to 1.900 kg / 2.000 kg*** (2000 kg chassis. incl. 15" Aluminium wheels, silver)	-	-	•	•	•	•	•	•	-	25	
150111	2.200 up to 2.500 kg (2500 kg chassis)	-	-	-	-	-	-	-	-	•	-	
**	Available up to 3 months before production											
***	Alloy rims must be fitted for load increases to 1,900/2,000 kg due to their higher payload capacity.											



Technical Data	PUCCINI 550 E 2,5	PUCCINI 560 TD 2,5	Puccini 655 EL 2,5	PUCCINI 685 DF 2,5	PUCCINI 750 HTD 2,5
Axles	1	1	2	2	2
Overall length in cm	787	805	861	891	945
Usable length in cm	570	588	660	690	744
Overall width / interior width in cm	250 / 234	250 / 234	250 / 234	250 / 234	250 / 234
Overall height / interior height in cm	265 / 196	265 / 196	265 / 196	265 / 196	265 / 196
Mass of unladen vehicle, approx. in kg *	1.550	ca. 1560	ca. 1750	ca. 1790	2.070
Mass in ready to travel condition, approx. in kg *	1.620	ca. 1630	ca. 1820	ca. 1860	2.140
Tecnically maximum authorized laden mass (kg)**	1.800	1.800	2.000	2.200	2.500
Maximum payload, approx. in kg *	180	ca. 170	ca. 180	ca. 340	360
Tyre size	205/70 R15C	205/70 R15C	185/65 R15	205/65 R15	205/65 R15
Awning, A/A size in cm	1.032	1.050	1.122	1.152	1.208
Bed size, front, in cm	200 x 94/188x94	200 x 155	200 x 94/188x94	191 x 148	216 x 168/143
Bed size, middle, in cm	-	-	-	-	200 x 150
Bed size, rear, in cm	216 x 138/146	216 x 168/155	216 x 2040/155	216 x 198/158	-
Number of berths	up to 4	up to 4	up to 4	up to 4	up to 4
Number of roof hoods	2 + Midi Heki bel.	1 + Midi Heki bel.	2 + Midi Heki bel.	2 + Midi Heki bel.	2 + Midi Heki bel.
Dometic type refrigerator / volume in liters	RMD 10.5 / 153	RMD 10.5 / 153	RMD 10.5 / 153	RMD 10.5X / 177	RMD 10.5X / 177
Truma type heating / Number of fans	Combi 6	Combi 6	Combi 6	Combi 6	Combi 6
Entrance door (cm): W x H door	70/181	70/181	70/181	70/181	70/181

Standard Equipment

General

- + 10 year impermeability guarantee (annual inspection by authorised dealer mandatory)

1. Chassis

- + Wide-track safety chassis with axle shock absorber
- + AL-KO smooth running chassis, fully galvanised
- + Steel rims 15"
- + Low profile tyres
- + AL-KO premium supports
- + Stabilizer safety coupling (AKS) 3004 with softdock
- + AL-KO Trailer Control – ATC
- + AL-KO Premium Break (automatic break lining adjustment)
- + Support wheel with towbar scale

2. BODY

- + TABBERT comfort roof, thickness 58 mm, roof rear-ventilated (diffusion function)
- + GFC roof with reduced hail sensitivity
- + Wall thickness 31 mm, roof thickness 58 mm, floor thickness 47 mm
- + Hammer tone finish sheet metal in white
- + Single stripe molding silver/chrome
- + Front fender with inlay (silver)
- + Integrated gas bottle locker with aluminium floor, with parallel opening gas locker cover, with gas pressure damper and large opening
- + Lighted entry step with TABBERT emblem (integrated and insulated)
- + Hinged window, tinted, heat insulating, with safety lock
- + Combined roller blinds and mosquito netting
- + Lift-tilt roof hood illuminated, clear glass / forced ventilation (750x500) - seating group
- + Lift-tilt roof hood, clear glass / forced ventilation (400x400) - sleeping area
- + Cabin door: TABBERT PREMIUM with window, shade, bag and umbrella slot
- + One-key locking system
- + Comfortable maneuvering handles at the front
- + Ergonomic shunting bar at the back
- + Service hatch in bed area (depending on layout)
- + TABBERT taillight with homogeneous LED rear lamp
- + LED awning light above entrance door – with motion sensor

3. LIVING

- + Furniture decor „Dark Oak“
- + Furniture flaps, bi-color, with high-gloss finish
- + High-quality metal handles in chrome
- + Upholstery versions, options: Silver Pearl, Chocolate Arrow, Vanilla Leaf, Sandy Beach (extra charge: Active Line), Coffe Forest (extra charge: real leather)
- + Easy conversion of round seating group to bed (no compensating pad required)
- + Ventilation grate in bench or bed frame
- + Ceiling cupboards with rear ventilation
- + Storage compartments and surrounding storage space in seating group area
- + Wooden sliding door as room divider (depending on layout)
- + Stylish panel curtains
- + High-quality corner shelves with indirect lighting
- + Single-post lift table for circular seating group
- + Atmospheric ambient lighting

- + Ceiling cupboard flaps indirectly illuminated
- + High-quality PVC flooring
- + Fixed beds with 5-zone comfort foam mattress
- + Slatted frame, tilting, with gas-charged shock absorber
- + High-quality wall panelling with mirror and storage options above bed (depending on layout)
- + Storage hatch in the bench side wall in the entrance area
- + 4-door cabinet in front/rear toilet cubicle
- + Kitchen back wall illuminated
- + Safetylock closure on all ceiling cupboards
- + Smoke alarm

4. KITCHEN AND SANITARY AREA

- + Dometic refrigerator (gas or 12 V ¹) or 230 V), with integrated light and freezer compartment (gas operation en route permitted only in combination with Mono or Dual Control)
- + 3-burner hob with electric ignition, cast grid and glass cover
- + Stainless steel sink with glass cover
- + Automatic mixer taps in kitchen and washroom
- + Large drawers with Soft-Close pull outs
- + Top cupboard with indirectly lit mirror and storage space, in washroom
- + 12V LED lighting
- + Thetford bank toilet (with Dometic ceramic toilet unit for 560 UEB and 655 D)
- + Toilet shaft seal
- + TABBERT comfort bath (front/rear) length 1280
- + Hinged window toilet room (front)
- + Apothecary pull-out (in media furniture)

5. POWER SUPPLY

- + 13-pole connector system „Jäger“ (ISO 11446)
- + LED recess mounted spots (power saving, long life)
- + Non-flicker reading spots
- + Optimized voltage supply (constant brightness in changeable lighting conditions, no flickering, no voltage fluctuations, silent operation)
- + TV-ready (antenna connection, roof reinforcement for automatic antenna, SAT cable installed)
- + Converter/switching power supply, 400 Watt
- + Protected electric cable routing
- + USB connection socket
- + Ambiance ceiling lighting
- + Indirectly lit mirror over washbasin
- + All lights individually switched/dimmed
- + Wardrobe lighting
- + velocate® GPS Tracker (hardware without personal tracking function; theft tracking for additional charge)

6. GAS / WATER / HEATING

- + Electric underfloor heating
- + Convection gas heater (Combi 6 with i-Net)
- + Hot water supply (in kitchen and toilet with Truma Therme)
- + Fresh water tank, 45 liters, permanently installed, internal and external filling option, cleaning opening
- + Water lines routed alongside air recirculation hose
- + Water filter system „BWT - Best-Camp mini“

Item No.		550 E 2,5	560 TD 2,5	655 EL 2,5	685 DF 2,5	750 HTD 2,5	Weight	
Chassis								
150840	ALKO Big Foot for premium supports	•	•	•	•	•	2,5	
101353	Drawbar cover	•	•	•	•	•	4	
151678	Hydraulic supports – only in combination with 12V power supply package!	•	•	•	•	•	22	
151372	Spare wheel, 15" steel rim with standard tyre – not available for mono-axle with 2,000 kg	•	•	•	•	•	21	
151728	Spare wheel, 15" alloy rim - for mono-axle with 2,000 kg - option 152614	•	•	–	–	–	21	
152725	17" alloy wheels for single-axle models, polished in crystal silver in exclusive TABBERT Design	•	•	•	–	–	13	
152724	17" alloy wheels for single-axle models, gloss-polished in white in exclusive TABBERT Design	•	•	•	–	–	13	
152726	17" alloy wheels for tandem-axle models, front polished in crystal silver in exclusive TABBERT Design	–	–	–	•	•	26	
152727	17" alloy wheels for tandem-axle models, gloss-polished in white in exclusive TABBERT Design	–	–	–	•	•	26	
152565	Spare wheel, 17" alloy wheels in TABBERT Design	•	•	•	•	•	23	
152069	Truma Mover XT / mono-axle up to 2,000 kg – only in combination with 12 Volt package!	•	•	–	–	–	28	
152071	Truma Mover XT 2 / tandem-axle up to 2,400 kg GVW - only in combination with 12 Volt package!	–	–	•	•	•	28	
152072	Mover tandem-axle up to 2,401 kg GVW - only in combination with 12V power supply package!	–	–	•	•	•	60	
102232	Bicycle rack for 2 bikes - towbar mounting	•	•	•	•	•	9,7	
Roof, windows, gas bottle locker, doors, ventilation								
101342	Quarter window front	•	–	•	–	X	7	
100577	Roof railing	•	•	•	•	•	10	
100750	Lift-tilt roof hood (700x500) instead of lift-tilt roof hood (400x400)	–	•	–	–	–	8	
102001	Lift-tilt roof hood (960x655) instead of lift-tilt roof hood (400x400) (bed area)	•	–	•	•	•	8	
101402	Mosquito netting door 1/1	•	•	•	•	•	4,3	
100612	Additional service hatch - position and size depending on layout	•	•	•	•	•	1,5	
102212	TVT (Top Value Technology) – from body length 550	•	•	•	•	•		
Moldings								
101397	Awning rails above front and/or rear window	•	•	•	•	•	3	
102000	Single strip molding additional - silver (chrome)	•	•	•	•	•	7	
102135	Awning strip molding with integrated lighting (dimmable)	•	•	•	•	•	3	
102245	Winter cover incl. awning rail rear	•	•	•	•	•	7	
102244	Winter cover incl. awning rail front	•	•	•	•	•	7	
Awnings								
501997	Awning 455 x 250 cm – roof-mounted installation	•	•	•	•	•	32	
502349	Awning 600 x 300 cm – roof-mounted installation	–	–	–	–	•	55	
Living								
551346	Carpeting, body width 2.5m	•	•	–	–	–	9	
551347	Carpeting, body length up to 655	–	–	•	•	•	11	
551408	Roll-out bed	•	–	•	–	–	2	
552030	TABBERT comfort sleeping system with disc spring bed base and WaterGel mattress	•	•	•	•	–	10	
552420	„Sleep“ - 2 pillows and blankets (bed area)	•	•	•	•	•	3	
552613	Upholstery selection "Soft Carbon" (Active Line)	•	•	•	•	•	-	
552205	Leather interior „La Boheme“	•	•	•	•	•	-	
552191	Upholstery version "Exclusiv" (bed frame and compensating pad included)	•	•	•	•	•	2	
551926	Large sideboard instead of shower	–	–	–	•	–	5	
552109	Wardrobe instead of shower room	–	–	–	•	–	-	
552817	Corner cupboard instead of toilet	–	–	–	–	•	-	
552262	Commode instead of toilet	–	•	–	–	–	–	
Power Supply								
250073	230 V socket for power supply outside, incl. antenna connection	•	•	•	•	•	0,5	
250072	Additional internal 230 V socket	•	•	•	•	•	0,3	

Item No.		550 E 2,5	560 TD 2,5	655 EL 2,5	685 DF 2,5	750 HTD 2,5	Weight	
250940	12 V socket, additional, inside	•	•	•	•	•	0,3	
251337	Antenna cable on the drawbar, 10 m length	•	•	•	•	•	4	
251998	Antenna package CARO®+ (only possible with 252284 or 252408)	•	•	•	•	•	14	
252129	Antenna automatically Qyster 60 Twin	•	•	•	•	•		
252284	32" TV unit with HD tuner	•	•	•	•	–	6	
252408	21,5" TV unit with HD tuner	•	•	•	•	•	4	
551415	TV holder for flatscreen TV with 230 V (TV position required)	•	–	•	•	•	3	
551702	6 additional LED ceiling spots – technology in roof – bedroom	•	•	•	•	•	1,5	
250231	Radio DAB+/CD/MP3-Tuner with USB incl. DAB+ antenna - only available in combination with radio preparation	•	•	•	•	•	3	
252034	Radio preparation with 2 speakers in living area and 2 speakers in sleeping area incl. DAB+ antenna	•	•	•	•	•	3,5	
252190	Sound system with radio, 2 speakers in living area and 2 speakers in sleeping area, subwoofer, amplifier with audio jack cable from TV to sound system (only in conjunction with 12 V package)	•	•	•	•	•	5,5	
251362	Underfloor lighting, LED	•	•	•	•	•	2,5	
252815	velocate® LIFETIME license with unlimited, personal, EU-wide tracking function (only possible with option number: 252698)	•	•	•	•	•		

Kitchen and sanitary area

400573	12 V fridge fan	•	•	•	•	•	0,3	
400060	Microwave	•	•	•	•	•	15	
400369	Oven	•	•	•	•	•	13	
400622	Extractor hood	•	•	•	•	•	5	
451441	Shower unit with taps, no 230 V socket in washroom	•	•	•	–	–	3,5	
451442	Comfort shower with folding door in front washroom (no hinged window in washroom)	–	•	•	X	X	6	
451777	Wood grille for shower tray	•	•	•	•	•	2,5	
450563	Fill level display for fresh water tank (only in conjunction with 45 liter fresh water tank)	•	•	•	•	•	-	

Gas, water, heating

450092	Waste water tank 25 liters, mobile, with odor trap	•	•	•	•	•	4	
351274	Heater, Truma Combi E instead of Truma Combi	•	•	•	•	•	-	
351386	Alde hot water boiler via gas operation and/or 3 kW electric heating cartridge (service hatches omitted)	•	•	•	•	•	34	
351967	ALDE hot water underfloor heating (only possible with option 351386)	•	•	•	•	•		
102036	Winter cover for fridge grid	–	–	–	•	•	0,3	
451443	City water connection – via 45 liter tank (filled from outside)	•	•	•	•	•	6,5	
451444	City water connection – via 70 liter tank (filled from outside)	•	•	•	•	•	6,5	
301057	Remote display + Ice-Ex	•	•	•	•	•	0,5	
300518	Gas socket, front, right	•	•	•	•	•	1,5	
301956	Truma MonoControl CS incl. gas filter	•	•	•	•	•	1,3	
301957	Truma DuoControl CS incl. gas filter	•	•	•	•	•	1,8	
451960	Fresh water tank, 70 liters	•	•	•	•	•	6	

Air conditioning

552275	Roof-mounted air conditioning / Truma Aventa Comfort	•	•	•	•	•	33	
--------	--	---	---	---	---	---	----	--

TÜV TRAILER CERTIFICATE

951036	TÜV and registration document	•	•	•	•	•		

Weight increase

152614	1.800 up to 1.900 kg / 2.000 kg*** (2000 kg chassis. incl. 15" Aluminium wheels, silver)	•	•	–	–	–	25	
150112	2.000 up to 2.500 kg** (2000 kg chassis)	–	–	•	–	–	40	
150111	2.200 up to 2.500 kg (2500 kg chassis)	–	–	–	•	–	–	
150112	2.500 up to 2.760 kg** (2760 kg chassis)	–	–	–	–	•	30	

**	Available up to 3 months before production							
***	Alloy rims must be fitted for load increases to 1,900/2,000 kg due to their higher payload capacity.							



Technical Data		CELLINI 655 DF 2,5
Axles		2
Overall length in cm		936
Usable length in cm		660
Overall width / interior width in cm		250 / 234
Overall height / interior height in cm		265 / 196
Mass of unladen vehicle, approx. in kg *		2.080
Mass in ready to travel condition, approx. in kg *		2.150
Tecnically maximum authorized laden mass (kg)**		2.500
Maximum payload, approx. in kg *		350
Tyre size		205/65 R15 rf Li 99 N
Awning, A/A size in cm		1.120
Bed size, front, in cm		190 x 148
Bed size, rear, in cm		227 x 150/148
Number of berths		up to 4
Number of roof hoods		2 + Heki 2
Dometic type refrigerator / volume in liters		RMD 10.5X / 177
Truma type heating / Number of fans		Combi 6
Entrance door (cm): W x H door		70/181

Standard Equipment

General

- + 10 year impermeability guarantee (annual inspection by authorised dealer mandatory)

1. Chassis

- + 15" Alloy rims
- + Wide-track safety chassis with axle shock absorber
- + Drawbar cover
- + Spare wheel
- + AL-KO smooth running chassis, fully galvanised
- + Low profile tyres
- + AL-KO premium supports
- + Stabilizer safety coupling (AKS) 3004 with softdock
- + AL-KO Trailer Control – ATC
- + AL-KO Premium Break (automatic break lining adjustment)
- + Support wheel with towbar scale

2. BODY

- + TABBERT comfort roof, thickness 58 mm, roof rear-ventilated (diffusion function)
- + GFC roof with reduced hail sensitivity
- + Wall thickness 31 mm, roof thickness 58 mm, floor thickness 47 mm
- + Hammer tone finish sheet metal in white
- + LFI (Long Fiber Injection) technology at front and rear
- + Integrated gas locker with aluminium floor and gas locker cover with gas pressure damper and 3-point locking system
- + Lighted entry step with TABBERT emblem (integrated and insulated)
- + Hinged window, tinted, heat insulating, with safety lock
- + Strip molding, silver chrome (single)
- + Cabin door: TABBERT PREMIUM with window, shade, bag and umbrella slot
- + Rear storage locker with aluminum floor
- + Combined roller blinds and mosquito netting
- + Lift tilt roof hood illuminated, clear glass / forced ventilation (700x500) - seating group
- + Lift-tilt roof hood, clear glass / forced ventilation (400x400) - sleeping area
- + One-key locking system
- + Comfortable maneuvering handles
- + Illuminated lettering at rear
- + Service hatch in side wall (depending on layout)
- + Brake/tail lights, LED
- + Indicator lights, LED
- + Fog/reversing lights, LED
- + LED awning light above entrance door – with motion sensor
- + TABBERT function floor with underfloor trays

3. LIVING

- + Furniture decor „Noce Lido“
- + Upholstery versions, options: Purple Stone, Ivory Leaf, Cream Nature (real leather as option)
- + Ventilation grate in bench or bed frame
- + Ceiling cupboards with rear ventilation
- + Wooden sliding door as room divider
- + Stylish panel curtains
- + Single-post lift table for circular seating group
- + Indirect LED lighting strip in canopy (ambient lighting)

- + High-quality PVC flooring
- + Centrally controlled lighting with dimmer
- + Storage hatch in the bench side wall in the entrance area
- + Glass case with ceiling cupboard in entrance area (depending on layout)
- + Corner shelves with integrated lighting
- + Fabric covering on ceiling
- + Smoke alarm

4. KITCHEN AND SANITARY AREA

- + Dometic refrigerator (gas or 12 V ¹) or 230 V), with integrated light and freezer compartment (gas operation en route permitted only in combination with Mono or Dual Control)
- + 3-burner hob with electric ignition, cast grid and glass cover
- + Stainless sink with coverage
- + Automatic mixer taps in kitchen and washroom
- + Wall-mounted cabinet with mirror and storage space in the washroom
- + 12V LED lighting
- + Ceramic cassette toilet
- + Stainless washbasin
- + Comfort shower with folding door in front washroom
- + High-quality soft-close drawers

5. POWER SUPPLY

- + 13-pole connector system “Jäger” (ISO 11446)
- + 12V power supply package
- + LED recess mounted spots (power saving, long life)
- + 6 ceiling spots LED - technology in the roof - bedroom
- + 6 ceiling spots LED - technology in the roof - corridor
- + Optimized voltage supply (constant brightness in changeable lighting conditions, no flickering, no voltage fluctuations, silent operation)
- + TV-ready (antenna connection, roof reinforcement for automatic antenna, SAT cable installed)
- + 24" flatscreen TV with integrated receiver and swivel arm
- + Converter/switching power supply 400W, integrated in multifunction floor
- + USB connection socket
- + Wardrobe lighting
- + MP3 fitted radio with 2 speakers in living area, and 2 speakers in sleeping area
- + GPS-Tracker

6. GAS / WATER / HEATING

- + Electric underfloor heating
- + Convection gas heater (Combi 6 with i-Net)
- + Fresh water tank, 45 liters, integrated in multifunction floor
- + Water lines routed alongside air recirculation hose
- + City water connection
- + Water filter system „BWT - Best-Camp mini“

7. Air Conditioning

- + Roof-mounted air conditioning

Item No.		655 DF	Weight	
Chassis				
150840	ALKO Big Foot for premium supports	•	3	
151728	Spare wheel, 15" alloy rim, white	•	21	
151678	Hydraulic supports	•	22	
152072	Mover tandem-axle up to 3,100 kg	•	60	
102232	Bicycle rack for 2 bikes - towbar mounting - drawbar cover omitted	•	10	
Roof, windows, gas bottle locker, doors, ventilation				
100577	Roof railing	•	10	
100750	Lift-tilt roof hood (700x500) instead of lift-tilt roof hood (400x400)	•	8	
101402	Mosquito netting door 1/1	•	4	
100612	Additional service hatch - position and size depending on layout	•	2	
102212	TVT (Top Value Technology) – from body length 550	•	-	
Moldings				
102000	Additional single strip molding silver/chrome	•	8	
102135	Awning strip molding with integrated lighting (dimmable)	•	3	
Awnings				
501997	Awning 455 x 250 cm – roof-mounted installation	•	32	
Living				
551347	Slide-out carpeting	•	11	
551416	Leather design Cream Nature (with adjustable headrest, folding backrest and seat hardness adjustment)	•	-	
552030	TABBERT comfort sleeping system with disc spring bed base and WaterGel mattress	•	10	
552420	Sleep - 2 pillows and blankets (bed area)	•	3	
402271	Continuous kitchen counter top – in-built appliances provided uninstalled	•	-	
Power Supply				
250073	230 V socket for power supply outside, incl. antenna connection	•	0,5	
250072	Additional internal 230 V socket	•	0,3	
250940	12 V socket, additional, inside	•	0,3	
251998	Antenna package CARO®+	•	14	
252594	24" TV unit with HD tuner	•	4	
251337	Antenna cable on the drawbar, 10 m length	•	4	
252004	Sound system "classic" with subwoofer, amplifier and jack cable for TFT audio transfer from TV to sound system	•	6	
252005	Sound system "premium" with subwoofer, amplifier and jack cable for audio transfer from TV to sound system incl. CaroVision	•	5,5	
251362	Underfloor lighting, LED	•	3	
252794	Interface for voice control	•		
252815	velocate® LIFETIME license with unlimited, personal, EU-wide tracking function (only possible with option number: 252698)	•		

Item No.		655 DF	Weight	
Kitchen area				
400573	12 V fridge fan	•	0,3	
400622	Extractor hood	•	5	
400060	Microwave	•	15	
400369	Oven	•	13	
Sanitary area				
451777	Wood grille for shower tray	•	3	
101341	Quarter window toilet cubicle 500 x 520 (incl. roller blind, only for mid-position toilet cubicle)	•	3	
450563	Fill level display for fresh water tank (only in conjunction with 45 liter fresh water tank)	•	-	
Gas, water, heating				
351274	Heater, Truma Combi E instead of Truma Combi	•		
351386	Alde hot water boiler via gas operation and/or 3 kW electric heating cartridge (service hatches omitted)	•	34	
450092	Waste water tank 25 liters, mobile, with odor trap	•	4	
102036	Winter cover for fridge grid	•	0,3	
451960	Fresh water tank, 75 liters, integrated in function floor	•	6	
300518	Gas socket, front, right	•	2	
301956	Truma MonoControl CS incl. gas filter	•	1	
301957	Truma DuoControl CS incl. gas filter	•	2	
301057	Remote display + Ice-Ex	•	1	
TÜV TRAILER CERTIFICATE				
951036	TÜV and registration document	•		
Weight increase				
150112	2.500 up to 2.760 kg** (2760 kg chassis)	•	20	
**	Available up to 3 months before production			



Technical Data		CELLINI 750 HTD 2,5 Slide Out
Axles		2
Overall length in cm		1.027
Usable length in cm		746
Overall width / interior width in cm		250 / 234
Overall height / interior height in cm		265 / 196
Mass of unladen vehicle, approx. in kg *		2.850
Mass in ready to travel condition, approx. in kg *		2.920
Tecnically maximum authorized laden mass (kg)**		3.500
Maximum payload, approx. in kg *		580
Tyre size		205/65 R15C Li 102 N
Awning, A/A size in cm		1.206
Bed size, front, in cm		225 x 146
Bed size, middle, in cm		200 x 153
Number of berths		up to 4
Number of roof hoods		2 + Midi Heki bel.
Dometic type refrigerator / volume in liters		RMD 10.5X / 177
Truma type heating / Number of fans		Combi 6 + E2400 (Gas)
Entrance door (cm): W x H door		70/181

Standard Equipment

General

- + 10 year impermeability guarantee (annual inspection by authorised dealer mandatory)

1. Chassis

- + Alloy rims with low profile tyres
- + 15" Spare wheel
- + Wide-track safety chassis with axle shock absorber
- + Drawbar cover
- + AL-KO smooth running chassis, fully galvanised
- + AL-KO Aluminium Break
- + AL-KO premium supports
- + Stabilizer safety coupling (AKS) 3004 with softdock
- + Support wheel

2. BODY

- + TABBERT comfort roof, thickness 58 mm, roof rear-ventilated (diffusion function)
- + GFC roof with reduced hail sensitivity
- + Wall thickness 31 mm, roof thickness 58 mm, floor thickness 47 mm
- + Smooth metal sheeting, white
- + LFI (Long Fiber Injection) technology at front and rear
- + Integrated gas locker with aluminium floor and gas locker cover with gas pressure damper and 3-point locking system
- + Lighted entry step with TABBERT emblem (integrated and insulated)
- + Frame windows, tinted, heat insulating, lockable
- + Cabin door: TABBERT PREMIUM with window, shade, bag and umbrella slot
- + Rear storage locker with aluminum floor
- + Combined roller blinds and mosquito netting
- + Lift-tilt roof hood illuminated, clear glass / forced ventilation (700x500) - seating group
- + Mini-Heki, force ventilated
- + Lift-tilt roof hood, clear glass / forced ventilation (400x400) - sleeping area
- + One-key locking system
- + Comfortable maneuvering handles
- + Illuminated lettering at rear
- + Service hatch in side wall (depending on layout)
- + Brake/tail lights, LED
- + Indicator lights, LED
- + Fog/reversing lights, LED
- + LED awning light above entrance door – with motion sensor
- + TABBERT function floor with underfloor trays
- + Awning above slide out
- + Awning strip illuminated right

3. LIVING

- + Furniture decor „Noce Lido“
- + Upholstery versions, options: Purple Stone, Ivory Leaf, Cream Nature (real leather as option)
- + Ventilation grate in bench or bed frame
- + Ceiling cupboards with rear ventilation
- + Stylish panel curtains
- + Single-post lift table for circular seating group
- + Indirect LED lighting strip in canopy (ambient lighting)
- + High-quality PVC flooring
- + Centrally controlled lighting with dimmer

- + Storage hatch in the bench side wall in the entrance area
- + Glass case with ceiling cupboard in entrance area (depending on layout)
- + Corner shelves with integrated lighting
- + Wall lighting in the sleeping area
- + Fabric covering on ceiling
- + Smoke alarm

4. KITCHEN AND SANITARY AREA

- + Dometic refrigerator (gas or 12 V ¹) or 230 V), with integrated light and freezer compartment (gas operation en route permitted only in combination with Mono or Dual Control)
- + 3-burner hob with electric ignition, cast grid and ignition safety
- + Stainless sink with coverage
- + Garbage bin in kitchen cover
- + Automatic mixer taps in kitchen and washroom
- + Wall-mounted cabinet with mirror and storage space in the washroom
- + 12V LED lighting
- + Ceramic cassette toilet
- + Hinged milk glass washroom window with blackout/mosquito netting roller blind (depending on layout)
- + Stainless washbasin
- + Shower unit with taps, no 230 V socket in washroom
- + High-quality soft-close drawers

5. POWER SUPPLY

- + 13-pole connector system "Jäger" (ISO 11446)
- + 12V power supply package
- + LED recess mounted spots (power saving, long life)
- + Optimized voltage supply (constant brightness in changeable lighting conditions, no flickering, no voltage fluctuations, silent operation)
- + TV-ready (antenna connection, roof reinforcement for automatic antenna, SAT cable installed)
- + 24" flatscreen TV with integrated receiver and swivel arm
- + TV connection across from bed
- + Converter/switching power supply 400W, integrated in multifunction floor
- + USB connection socket
- + Wardrobe lighting
- + MP3 fitted radio with 2 speakers in living area, and 2 speakers in sleeping area
- + GPS-Tracker

6. GAS / WATER / HEATING

- + Electric underfloor heating
- + Convection gas heater for living area (Combi 6 with i-Net)
- + Convection gas heater for sanitary area
- + Fresh water tank, 45 liters, integrated in multifunction floor
- + Water lines routed alongside air recirculation hose
- + City water connection
- + Water filter system „BWT - Best-Camp mini“

7. Air Conditioning

- + Roof-mounted air conditioning

Item No.		750 HTD Slide Out	Weight	
Chassis				
150840	ALKO Big Foot for premium supports	•	3	
151728	Spare wheel, 15" alloy rim, white	•	-	
151678	Hydraulic supports	•	22	
152313	Mover tandem-axle up to 3,500 kg	•	60	
Roof, windows, gas bottle locker, doors, ventilation				
100750	Lift-tilt roof hood (700x500) instead of lift-tilt roof hood (400x400) - bed area	•	8	
101402	Mosquito netting door 1/1	•	4	
100612	Additional service hatch - position and size depending on layout	•	2	
Moldings				
102000	Additional single strip molding silver/chrome	•	8	
101399	Additional double strip molding silver/chrome	•	16	
Awnings				
501997	Awning 455 x 250 cm – roof-mounted installation	•	32	
502349	Awning 600 x 300 cm - roof-mounted installation	•	55	
Living				
551347	Slide-out carpeting	•	11	
551416	Leather design Cream Nature (with adjustable headrest, folding backrest and seat hardness adjustment)	•	10	
552342	WaterGel mattress - CELLINI 750 HTD Slide-Out	•	-	
552420	Sleep - 2 pillows and blankets (bed area)	•	-	
552270	Sideboard with 3 instead of 2 doors	•	-	
402271	Continuous kitchen counter top – in-built appliances provided uninstalled	•	-	
Power Supply				
250073	230 V socket for power supply outside, incl. antenna connection	•	1	
250072	Additional internal 230 V socket	•	0,3	
250940	12 V socket, additional, inside	•	0,3	
251998	Antenna package CARO®+	•	14	
252408	21,5" TV unit with HD tuner	•	4	
251337	Antenna cable on the drawbar, 10 m length	•	4	
252004	Sound system "classic" with subwoofer, amplifier and jack cable for TFT audio transfer from TV to sound system	•	6	
252005	Sound system "premium" with subwoofer, amplifier and jack cable for audio transfer from TV to sound system incl. CaroVision	•	5,5	
251362	Underfloor lighting, LED	•	3	
252794	Interface for voice control	•		
252815	velocate® LIFETIME license with unlimited, personal, EU-wide tracking function (only possible with option number: 252698)	•		

Item No.		750 HTD Slide Out	Weight	
Kitchen area				
401307	189 liter fridge – gas operation in driving mode is only allowed in combination with Mono Control (12 V operation not provided)	•	18	
400573	12 V fridge fan	•	0,3	
402268	Large pull-out section in kitchen instead of 2 drawers	•		
400060	Microwave	•	15	
400369	Oven	•	13	
Sanitary area				
451777	Wood grille for shower tray	•	3	
450563	Fill level display for fresh water tank (only in conjunction with 45 liter fresh water tank)	•	-	
Gas, water, heating				
450092	Waste water tank 25 liters, mobile, with odor trap	•	4	
351386	Alde hot water boiler via gas operation and/or 3 kW electric heating cartridge (service hatches omitted)	•	34	
102036	Winter cover for refrigerator grill	•	0,3	
451960	Fresh water tank, 75 liters, integrated in function floor	•	6	
300518	Gas socket, front, right	•	2	
301956	Truma MonoControl CS incl. gas filter	•	1	
301957	Truma DuoControl CS incl. gas filter	•	2	
301057	Remote display + Ice-Ex	•	1	
451481	Hot water system with boiler via Truma Boiler BN 10 (gas/electric) - no Truma Therme	•	10	
TÜV TRAILER CERTIFICATE				
951036	TÜV and registration document	•		

Packs

Item No.

150080 Premium Exterior Package - mono-axle 10 kg		
	PUCCINI, VIVALDI, DA VINCI, ROSSINI	
101353	Drawbar cover	
150840	ALKO Big Foot for heavy-duty crank steadies	
152724	17" alloy wheels for single-axle models, gloss-polished in white in exclusive TABBERT Design	

Item No.

150087 Design Exterior Package 15 kg		
	CELLINI, PUCCINI, VIVALDI starting at 490	
102011	Frame windows (installation of a large window for children's room layout) (VIVALDI 550 DF / rear and front, for DA VINCI, VIVALDI and PUCCINI curtain windows are used)	
102135	Awning rails with LED strip on door side	
102136	Side walls with smooth metal (white)	

Item No.

150081 Premium Exterior Package – tandem-axle 10 kg		
	PUCCINI, VIVALDI, DA VINCI, ROSSINI	
101353	Drawbar cover	105,00
150840	ALKO Big Foot for heavy-duty crank steadies	218,00
102727	17" alloy wheels for tandem-axle models, gloss-polished in white in exclusive TABBERT Design	1.329,00

Item No.

150005 12 V Power Supply Package 28 kg		
	PUCCINI, VIVALDI, PEP, DA VINCI, ROSSINI	
251485	Electronic charging unit, 28 A	
251489	80-AH gel battery	
251490	Display for battery power and tank level via board control	

Item No.

150083 Premium Interior Package 15 kg		
	CELLINI (except Slide Out), PUCCINI, VIVALDI, DA VINCI (except 700 KD), ROSSINI	
101402	Mosquito netting door 1/1	
552420	„Sleep“ - 2 pillows and blankets (bed area)	
552030	TABBERT comfort sleeping system with flexible disk-spring bed base and WaterGel mattress	
450563	Level gauge, fresh water tank	

Item No.

150075 Lighting Package		
	DA VINCI, ROSSINI	
551480	Ambiance lighting	
252204	Entrance step illuminated	
251491	Awning light with motion sensor	

Item No.

150084 Premium Interior Package DaVinci 700 KD 8 kg		
	Da Vinci 700 KD, Puccini 750 HTD, Cellini Slide Out	
	(same as 150083 with mattress incl. WaterGel without flexible disk-spring bed base)	

Packs

Item No.

150010 Allrounder package mono-axle		
	PUCCINI, VIVALDI, DA VINCI, ROSSINI	
301957	Truma DuoControl CS with gas filter	
301057	Remote display and ice-ex	
252034	Radio preparation with 2 loudspeakers each in the living room and sleeping area, incl. DAB+ antenna	
551415	TV holder for flatscreen TV with 230 V	
251998	Antenna package CARO®+	
252408	21,5" TV unit with HD tuner	
152069	Truma Mover® XT	
250231	Radio DAB+/CD/MP3 with USB and bluetooth	
252196	12-V-supply package	

Item No.

150012 Allrounder package mono-axle		
	PUCCINI, VIVALDI, DA VINCI, ROSSINI	
301957	Truma DuoControl CS with gas filter	
301057	Remote display and ice-ex	
252034	Radio preparation with 2 loudspeakers each in the living room and sleeping area, incl. DAB+ antenna	
551415	TV holder for flatscreen TV with 230 V	
251998	Antenna package CARO®+	
252408	21,5" TV unit with HD tuner	
152072	Truma Mover® XT	
250231	Radio DAB+/CD/MP3 with USB and bluetooth	
252196	12-V-supply package	

Item No.

150011 Allrounder package tandem-axle		
	PUCCINI, VIVALDI, DA VINCI, ROSSINI	
301957	Truma DuoControl CS with gas filter	
301057	Remote display and ice-ex	
252034	Radio preparation with 2 loudspeakers each in the living room and sleeping area, incl. DAB+ antenna	
551415	TV holder for flatscreen TV with 230 V	
251998	Antenna package CARO®+	
252408	21,5" TV unit with HD tuner	
152071	Truma Mover® XT	
250231	Radio DAB+/CD/MP3 with USB and bluetooth	
252196	12-V-supply package	

Item No.

Possible changes for Allrounder packages:		
252788	Antenna package Oyster Twin instead of 251998 Antenna package CARO®+ Premium	
252697	32" TV unit with HD Tuner instead of 252408 21,5" TV unit with HD tuner (VIVALDI, PUCCINI)	

ROSSINI



ROSSINI 450 E 2,3



ROSSINI 520 DM



ROSSINI 450 TD 2,3



ROSSINI 540 E 2,3



ROSSINI 490 TD 2,3



ROSSINI 620 DM 2,5



ROSSINI 490 DM 2,3

PEP



PEP 540 E 2,3



PEP 550 DM 2,3



PEP 490 TD 2,3

DA VINCI



DA VINCI 380 TD 2,3



DA VINCI 540 E 2,3



DA VINCI 450 TD 2,3



DA VINCI 550 DM 2,3



DA VINCI 460 E 2,3



DA VINCI 560 TDL 2,5



DA VINCI 490 TD 2,3



DA VINCI 655 KD 2,5



DA VINCI 495 HE 2,3



DA VINCI 700 KD 2,5



DA VINCI 540 DM 2,5

VIVALDI



VIVALDI 460 E 2,3



VIVALDI 560 EMK 2,5



VIVALDI 490 TD 2,3



VIVALDI 560 TD 2,5



VIVALDI 550 E 2,3



VIVALDI 560 TDL 2,5



VIVALDI 550 E 2,5



VIVALDI 685 DF 2,5



VIVALDI 550 DF 2,5

HOW TO READ OUR LAYOUTS:



PUCCINI



PUCCINI 550 E 2,5



PUCCINI 560 TD 2,5



PUCCINI 655 EL 2,5



PUCCINI 685 DF 2,5



PUCCINI 750 HTD 2,5

CELLINI



CELLINI 655 DF 2,5

CELLINI SLIDE OUT



CELLINI 750 HTD 2,5 SLIDE OUT

LEGENDE

- | | |
|------------------------------|--|
| ① Window | ⑧ Connections for flatscreen TV |
| ② Seating group | ⑨ Fridge |
| ③ 3-burner hob and washbasin | ⑩ Wardrobe |
| ④ Double bed | ⑪ Separate washbasin |
| ⑤ Toilet and shower | ⑫ Three-step en-suite bathroom extension |
| ⑥ Bunk bed | ⑬ Room divider |
| ⑦ Entrance | ⑭ Linen cupboard |

IMPORTANT INFORMATIONS

R08116645N-EN-INT

For caravans made by TABBERT, we grant you a 10-year leak-proofness guarantee on the body manufactured by us in addition to your compulsory guarantee within the framework of our guarantee conditions.

Please note the following important information FOR ALL CARAVANS MADE BY TABBERT:

For caravans made by TABBERT, we grant you a 10-year leak-proofness guarantee on the body manufactured by us in addition to your compulsory guarantee within the framework of our guarantee conditions.

Please note the following important information FOR ALL CARAVANS MADE BY TABBERT:

TABBERT caravans are characterised by their technical progress. Through innovative solutions such as the use of high-strength steels for the chassis or intelligent honeycomb technology in furniture construction, low tare weights of the TABBERT caravans are created.

The mass of the empty vehicle as referred to in the price list is the mass of the vehicle with standard equipment and without basic equipment, i.e. without „liquids“ and without optional fittings as referred to in art. 2, ciff. 3 VO (EU) 1230/2012

Mass in running order, see Artikel 2, ciff. 4 a) VO (EU) 1230/2012, unless nothing different is regulated, is defined as follows:

Mass of the vehicle with standard equipment as referred to in manufacturer specifications:

- + Steel liquid gas bottles (11 kg) filled to 100% (i. e. 23 kg total mass)
- + Fresh water tank (filled to 100%)
- + Toilet flush tank (100 % full)
- + Fresh water boiler filled to 100%
- = Mass in ready-to-start mode

The „permissible total mass“ see Artikel 2, ciff. 7 VO (EU) 1230/2012 is defined as follows:

The mentioned vehicle's maximum mass from the manufacturer in loaded state (incl. Optional equipment/extras/packages and gas, water, luggage and load, etc.)

For you as TABBERT caravan user:

The maximum permissible payload as referred to in the TABBERT catalogue is defined as:

Tecnically authorized total mass

– mass in running order

= maximum permissible payload

Example:

(Tecnically authorized total mass) 1.400 kg

– (Mass in running order) 1.090 kg

= (Maximum permissible payload) 310 kg

Please note that maximum permissible payload as referred to in the catalogues, for example if the mass of the additional fitting is reduced.

Please note that your TABBERT caravan still must have a minimum payload capacity (= minimum payload) after deduction of optional equipment's mass from the maximum permissible payload, which may not be below the minimum payload (cf. attachment I, part D, para. 2.3.4.1 VO (EU) 1230/2012):

(Maximum number of berths + total length (in m) of the vehicle body) x 10 = Minimum permissible payload (kg)

Example: [(Maximum number of berths) 4 + (total length (in m) of vehicle body) 5] x 10 = 90 kg

The mass of the vehicle with standard equipment according to manufacturer specifications is determined through weighing of the vehicle with standard fitting. Mistakes and changes are excepted. After the deadline (05/2018) there can be made product modifications. With publication of this price information previous lists are no longer valid.

Dimensions and weight data may vary ca. +/-5% due to tolerances of the natural raw materials used see attachment 2, ciff. 2.2 b) VO (EU) 1230/2012

As a user of a caravan, you are required not to exceed the values of the permissible total mass in driving mode, and respective maximum permissible axle load and nose weight limits. Furthermore, you are obliged to adhere to all other requirements for a safe usage of your caravan.

The mattress dimension can slightly differ from the stated bed dimensions. Information about the capacity of the refrigerators refer to the manufacturer specifications.

For organisational reasons it is not possible to pick up the vehicle in the works of the manufacturer.

The water supply system is minimum state of the art (03/2009) (Regulation 2002/72/EG).

¹⁾ 12V operation from 148 ltr. refrigerators are not possible!

The information on the delivery contents, measurements and weights as well as the appearance correspond to the knowledge at the time of printing (07/2019). We reserve the right to make changes on equipment, technical data, serial equipment and prices. After a contract has been concluded, we reserve the right to make technical changes within the framework of the construction insofar as they serve technical progress and are acceptable for the customer. Minor colour and texture deviations are also reserved - even after conclusion of the contract - insofar as these cannot be avoided due to the material (e.g. colour deviations of up to approx. 2.0 dE between paint on sheet metal and paint on GRP/plastic) and are reasonable for the customer. Some of the illustrations show optional equipment that is available at an extra charge or equipment features of prototypes/studies that do not conform to the serial status and in some cases will not be available as optional equipment.

Colour deviations are print-technically possible. Therefore, before purchasing a vehicle, please seek comprehensive advice on the current status of the series from an authorised dealer. The decoration shown in the catalogue is not part of the equipment supplied. Please also note the comments in the current price list, in particular on weights, payload options and tolerances. Reprinting, even in extracts, is only permitted with the prior written permission of Knaus Tabbert GmbH. We reserve the right to change content at our discretion.

TABBERT



B e w e g e n d e M o m e n t e